Body: Aluminum Alloy*
Pin: Stainless Steel*



Brazier Head
Metal to Metal Drive Pin Rivets

Body: *Aluminum Alloy 2117 H15 or equivalent (all diameters)
Pin: *302 Series Stainless (1/8" diameter)

Part #	Diameter x Nom. Grip	Ctn Qty	Wght Lbs/M	Part #	Diameter x Nom. Grip	Ctn Qty	Wght Lbs/M
Part Number Comparison Chart at www.kanebridge.com							
05094ABSS	1/8X3/32	1,000	1.36	05219ABA	1/8X7/32	1,000	1.32
05125ABA	1/8X1/8	1,000	1.13	05250ABA	1/8X1/4	1,000	1.38
05156ABA	1/8X5/32	1,000	1.19	05281ABA	1/8X9/32	1,000	1.44
05188ABA	1/8X3/16	1,000	1.26				

Body: Aluminum Alloy
Pin: Aluminum Alloy



Brazier Head
Metal to Metal Drive Pin Rivets

Body: Aluminum Alloy 2117 H15 or equivalent (all diameters)
Pin: Aluminum Alloy 2024 T4 or equivalent (3/16 thru 3/8 diameters)

Part #	Diameter x Nom. Grip	Ctn Qty	Wght Lbs/M	Part #	Diameter x Nom. Grip	Ctn Qty	Wght Lbs/M
Part Number Comparison Chart at www.kanebridge.com							
10094ABA	3/16X3/32	1,000	1.91	10563ABA	3/16X9/16	1,000	3.17
10125ABA	3/16X1/8	1,000	2.00	10625ABA	3/16X5/8	1,000	3.34
10188ABA	3/16X3/16	1,000	2.17	10750ABA	3/16X3/4	1,000	3.68
10250ABA	3/16X1/4	1,000	2.33	10813ABA	3/16X13/16	1,000	3.85
10313ABA	3/16X5/16	1,000	2.50	10875ABA	3/16X7/8	1,000	4.02
10375ABA	3/16X3/8	1,000	2.67	10938ABA	3/16X15/16	1,000	4.18
10438ABA	3/16X7/16	1,000	2.84	101000ABA	3/16X1	1,000	4.35
10500ABA	3/16X1/2	1,000	3.01				

Body: Aluminum Alloy
Pin: Aluminum Alloy



Brazier Head
Metal to Metal Drive Pin Rivets

Body: Aluminum Alloy 2117 H15 or equivalent (all diameters)
Pin: Aluminum Alloy 2024 T4 or equivalent (3/16 thru 3/8 diameters)

Part #	Diameter x Nom. Grip	Ctn Qty	Wght Lbs/M	Part #	Diameter x Nom. Grip	Ctn Qty	Wght Lbs/M
Part Number Comparison Chart at www.kanebridge.com							
14094ABA	1/4X3/32	1,000	3.89	14688ABA	1/4X11/16	1,000	6.76
14125ABA	1/4X1/8	1,000	4.04	14750ABA	1/4X3/4	1,000	7.07
14188ABA	1/4X3/16	1,000	4.34	14813ABA	1/4X13/16	1,000	7.37
14250ABA	1/4X1/4	1,000	4.64	14875ABA	1/4X7/8	1,000	7.68
14313ABA	1/4X5/16	1,000	4.95	14938ABA	1/4X15/16	1,000	7.98
14375ABA	1/4X3/8	1,000	5.25	141000ABA	1/4X1	1,000	8.28
14438ABA	1/4X7/16	1,000	5.55	141188ABA	1/4X1 3/16	1,000	9.19
14500ABA	1/4X1/2	1,000	5.86	141250ABA	1/4X1 1/4	1,000	9.49
14563ABA	1/4X9/16	1,000	6.16	141313ABA	1/4X1 5/16	1,000	9.80
14625ABA	1/4X5/8	1,000	6.46	141438ABA	1/4X1 7/16	1,000	10.42

Body: Aluminum Alloy*
Pin: Stainless Steel*



Countersunk Head
Metal to Metal Drive Pin Rivets

Body: *Aluminum Alloy 117 H15 or equivalent
Pin: *302 Series Stainless

Part #	Diameter x Nom. Grip	Ctn Qty	Wght Lbs/M	Part #	Diameter x Nom. Grip	Ctn Qty	Wght Lbs/M
05094ACSS	1/8X3/32	1,000	0.93	07219ACSS	5/32X7/32	1,000	1.48
05125ACSS	1/8X1/8	1,000	0.99	07250ACSS	5/32X1/4	1,000	1.56
05156ACSS	1/8X5/32	1,000	1.05	07281ACSS	5/32X9/32	1,000	1.64
05188ACSS	1/8X3/16	1,000	1.11	07312ACSS	5/32X5/16	1,000	1.70
05219ACSS	1/8X7/32	1,000	1.17	07344ACSS	5/32X11/32	1,000	1.78
05250ACSS	1/8X1/4	1,000	1.23	07375ACSS	5/32X3/8	1,000	1.86
05281ACSS	1/8X9/32	1,000	1.30	07406ACSS	5/32X13/32	1,000	1.94
05312ACSS	1/8X5/16	1,000	1.36	07437ACSS	5/32X7/16	1,000	1.93
05344ACSS	1/8X11/32	1,000	1.42	07469ACSS	5/32X15/32	1,000	2.07
05375ACSS	1/8X3/8	1,000	1.49	07500ACSS	5/32X1/2	1,000	2.14
05406ACSS	1/8X13/32	1,000	1.55	07531ACSS	5/32X17/32	1,000	2.25
				07562ACSS	5/32X9/16	1,000	2.29
07125ACSS	5/32X1/8	1,000	1.24	07594ACSS	5/32X19/32	1,000	1.15
07156ACSS	5/32X5/32	1,000	1.32	07625ACSS	5/32X5/8	1,000	1.19
07188ACSS	5/32X3/16	1,000	1.40				

Body: Aluminum Alloy*
Pin: Aluminum Alloy*



Countersunk Head
Metal to Metal Drive Pin Rivets

Body: *Aluminum Alloy 2117 H15 or equivalent
Pin: *Aluminum Alloy 2024 T4 or equivalent

Part #	Diameter x Nom. Grip	Ctn Qty	Wght Lbs/M	Part #	Diameter x Nom. Grip	Ctn Qty	Wght Lbs/M
Part Number Comparison Chart at www.kanebridge.com							
10100ACA	3/16X1	1,000	3.42	10812ACA	3/16X13/16	1,000	3.00
10188ACA	3/16X3/16	1,000	1.49	10875ACA	3/16X7/8	1,000	3.08
10250ACA	3/16X1/4	1,000	1.56	10938ACA	3/16X15/16	1,000	3.25
10313ACA	3/16X5/16	1,000	1.73				
10375ACA	3/16X3/8	1,000	1.90	14188ACA	1/4X3/16	1,000	2.82
10438ACA	3/16X7/16	1,000	2.08	14250ACA	1/4X1/4	1,000	3.11
10563ACA	3/16X9/16	1,000	2.42	14313ACA	1/4X5/16	1,000	3.40
10625ACA	3/16X5/8	1,000	2.59	14375ACA	1/4X3/8	1,000	3.69
10688ACA	3/16X11/16	1,000	2.63	14438ACA	1/4X7/16	1,000	3.98
10750ACA	3/16X3/4	1,000	2.79	14500ACA	1/4X1/2	1,000	4.27
				14563ACA	1/4X9/16	1,000	4.56
				14625ACA	1/4X5/8	1,000	4.87
				14688ACA	1/4X11/16	1,000	5.13
				14750ACA	1/4X3/4	1,000	5.42
				14813ACA	1/4X13/16	1,000	5.71
				14875ACA	1/4X7/8	1,000	6.00
				14938ACA	1/4X15/16	1,000	6.29
				141000ACA	1/4X1	1,000	6.58

Body: Aluminum Alloy*
Pin: Stainless Steel*



Universal Head
Metal to Metal Drive Pin Rivets

Body: *Aluminum Alloy 2117 H15 or equivalent (all diameters)
Pin: *302 Series Stainless Steel (1/8 and 5/32 diameters)

Part Number Comparison Chart at www.kanebridge.com

Part #	Diameter x Nom. Grip	Ctn Qty	Wght Lbs/M	Part #	Diameter x Nom. Grip	Ctn Qty	Wght Lbs/M
05031AUSS	1/8X1/32	1,000	0.94	07031AUSS	5/32X1/32	1,000	1.21
05063AUSS	1/8X1/16	1,000	0.93	07063AUSS	5/32X1/16	1,000	1.20
05094AUSS	1/8X3/32	1,000	0.99	07094AUSS	5/32X3/32	1,000	1.28
05125AUA	1/8X1/8	1,000	1.05	07125AUA	5/32X1/8	1,000	1.44
05156AUA	1/8X5/32	1,000	1.11	07156AUA	5/32X5/32	1,000	1.52
05188AUA	1/8X3/16	1,000	1.18	07188AUA	5/32X3/16	1,000	1.60
05219AUA	1/8X7/32	1,000	1.24	07219AUA	5/32X7/32	1,000	1.68
05250AUA	1/8X1/4	1,000	1.30	07250AUA	5/32X1/4	1,000	1.76
05281AUA	1/8X9/32	1,000	1.36	07281AUA	5/32X9/32	1,000	1.84
05313AUA	1/8X5/16	1,000	1.42	07313AUA	5/32X5/16	1,000	1.93
05344AUA	1/8X11/32	1,000	1.49	07344AUA	5/32X11/32	1,000	2.01
05375AUA	1/8X3/8	1,000	1.55	07406AUA	5/32X13/32	1,000	2.20
05406AUA	1/8X13/32	1,000	1.61	07438AUSS	5/32X7/16	1,000	2.40
05438AUSS	1/8X7/16	1,000	1.67	07500AUSS	5/32X1/2	1,000	2.60
				07531AUSS	5/32X17/32	1,000	2.70
				07563AUSS	5/32X9/16	1,000	2.80
				07625AUSS	5/32X5/8	1,000	3.00

Body: Aluminum Alloy
Pin: Aluminum Alloy



Universal Head
Metal to Metal Drive Pin Rivets

Body: Aluminum Alloy 2117 H15 or equivalent (all diameters)
Pin: Aluminum Alloy 2024 T4 or equivalent (3/16 thru 3/8 diameters)

Part Number Comparison Chart at www.kanebridge.com

Part #	Diameter x Nom. Grip	Ctn Qty	Wght Lbs/M	Part #	Diameter x Nom. Grip	Ctn Qty	Wght Lbs/M
10094AUA	3/16X3/32	1,000	1.53	141000AUA	1/4X1	1,000	7.50
10125AUA	3/16X1/8	1,000	1.62	141125AUA	1/4X1 1/8	1,000	8.10
10188AUA	3/16X3/16	1,000	1.79	141375AUA	1/4X1 3/8	1,000	9.30
10250AUA	3/16X1/4	1,000	1.96				
10313AUA	3/16X5/16	1,000	2.13	31188AUA	5/16X3/16	1,000	6.30
10375AUA	3/16X3/8	1,000	2.30	31281AUA	5/16X9/32	1,000	7.00
10438AUA	3/16X7/16	1,000	2.47	31375AUA	5/16X3/8	1,000	7.70
10500AUA	3/16X1/2	1,000	2.64	31469AUA	5/16X15/32	1,000	8.40
10563AUA	3/16X9/16	1,000	2.81	31563AUA	5/16X9/16	1,000	9.10
10625AUA	3/16X5/8	1,000	2.98	31656AUA	5/16X21/32	1,000	10.00
10688AUA	3/16X11/16	1,000	3.15	31750AUA	5/16X3/4	1,000	10.75
10750AUA	3/16X3/4	1,000	3.32	31844AUA	5/16X27/32	1,000	11.50
10813AUA	3/16X13/16	1,000	3.49	31938AUA	5/16X15/16	1,000	12.17
10875AUA	3/16X7/8	1,000	3.66	311031AUA	5/16X1	1,000	12.88
101000AUA	3/16X1	1,000	4.00	37188AUA	3/8X3/16	1,000	12.15
101125AUA	3/16X1 1/8	1,000	4.34	37281AUA	3/8X9/32	1,000	13.10
				37375AUA	3/8X3/8	1,000	14.16
14094AUA	1/4X3/32	1,000	3.14	37469AUA	3/8X15/32	1,000	15.22
14125AUA	1/4X1/8	1,000	3.29	37563AUA	3/8X9/16	1,000	16.28
14188AUA	1/4X3/16	1,000	3.59	37656AUA	3/8X21/32	500	16.50
14250AUA	1/4X1/4	1,000	3.89	37750AUA	3/8X3/4	500	17.50
14313AUA	1/4X5/16	1,000	4.19	37844AUA	3/8X27/32	500	18.33
14375AUA	1/4X3/8	1,000	4.49	37938AUA	3/8X15/16	500	19.50
14438AUA	1/4X7/16	1,000	4.79	371031AUA	3/8X1	500	20.67
14500AUA	1/4X1/2	1,000	5.09				
14563AUA	1/4X9/16	1,000	5.39				
14625AUA	1/4X5/8	1,000	5.69				
14688AUA	1/4X11/16	1,000	5.99				
14750AUA	1/4X3/4	1,000	6.29				
14813AUA	1/4X13/16	1,000	6.60				
14875AUA	1/4X7/8	1,000	6.90				
14938AUA	1/4X15/16	1,000	7.20				

Body: Aluminum Alloy
Pin: Aluminum Alloy



Liner Head
Metal to Metal Drive Pin Rivets

Body: Aluminum Alloy 2117 H15 or equivalent
Pin: Aluminum Alloy 2024 T4 or equivalent

Part Number Comparison Chart at www.kanebridge.com

Part #	Diameter x Nom. Grip	Ctn Qty	Wght Lbs/M	Part #	Diameter x Nom. Grip	Ctn Qty	Wght Lbs/M
10125ALA	3/16X1/8	1,000	2.90	10625ALA	3/16X5/8	1,000	4.21
10219ALA	3/16X7/32	1,000	3.19	10750ALA	3/16X3/4	1,000	4.46
10312ALA	3/16X5/16	1,000	3.43	10813ALA	3/16X13/16	1,000	4.74
10406ALA	3/16X13/32	1,000	3.68	10938ALA	3/16X15/16	1,000	4.99
10500ALA	3/16X1/2	1,000	3.96				

Body: Aluminum Alloy
Pin: Aluminum Alloy



Brazier Head
Masonry Drive Pin Rivets

Body: Aluminum Alloy 2117 H15 or equivalent
Pin: Aluminum Alloy 2024 T4 or equivalent

Part Number Comparison Chart at www.kanebridge.com

Part #	Diameter x Nom. Grip	Ctn Qty	Wght Lbs/M	Part #	Diameter x Nom. Grip	Ctn Qty	Wght Lbs/M
141125ABA	1/4X1 1/8	1,000	8.89	141375ABA	1/4X1 3/8	1,000	10.10

Body: Steel Zinc
Pin: Steel Zinc



Universal Head
Metal to Metal Drive Pin Rivets

Body: 1006 Steel with Zinc Plate or equivalent
Pin: 1008 Steel with Zinc Plate or equivalent

Part #	Diameter x Nom. Grip	Ctn Qty	Wght Lbs/M	Part #	Diameter x Nom. Grip	Ctn Qty	Wght Lbs/M
37188SUS	3/8X3/16	1,000	35.20	37375SUS	3/8X3/8	1,000	41.03
37281SUS	3/8X9/32	1,000	37.97				

Body: Aluminum Alloy
Pin: Aluminum Alloy



Items marked with "•" have 15/32" Head Diam.; all others have 5/8" Head Diam.

Tamper Resistant– Protruding Head

Metal to Metal Drive Pin Rivets

Body: Aluminum Alloy 2117 H15 or equivalent
Pin: Aluminum Alloy 2024 T4 or equivalent

Part #	Diameter x Nom. Grip	Ctn Qty	Wght Lbs/M	Part #	Diameter x Nom. Grip	Ctn Qty	Wght Lbs/M
•10125ATA	3/16X1/8	1,000	2.62	11125ATA	3/16X1/8	1,000	3.96
•10219ATA	3/16X7/32	1,000	2.97	11219ATA	3/16X7/32	1,000	4.25
•10312ATA	3/16X5/16	1,000	3.34	11312ATA	3/16X5/16	1,000	4.61
•10406ATA	3/16X13/32	1,000	3.62	11406ATA	3/16X13/32	1,000	4.96

White Nylon*



Flat Head

Plastic Drive Rivets with Plastic Pin

Body: *Nylon 6/6 Impact Modified
Pin: *Nylon 6/6 Impact Modified

Part #	Diameter x Length	Ctn Qty	Wght Lbs/M	Part #	Diameter x Length	Ctn Qty	Wght Lbs/M
Part Number Comparison Chart at www.kanebridge.com							
14563PFPWH	1/4X9/16	1,000	1.42	14750PFPWH	1/4X3/4	1,000	18.20

White Nylon



Mushroom Head

Plastic Drive Rivets with Plastic Pin

Body: Nylon 6/6 Impact Modified
Pin: Nylon 6/6 Impact Modified

Part #	Diameter x Length	Ctn Qty	Wght Lbs/M	Part #	Diameter x Length	Ctn Qty	Wght Lbs/M
Part Number Comparison Chart at www.kanebridge.com							
10750PMPWH	10X3/4	1,000	1.40	14750PMPWH	1/4X3/4	1,000	2.12
				141000PMPWH	1/4X1	1,000	2.73
				141500PMPWH	1/4X1 1/2	1,000	3.65

White Nylon



Round Head

Plastic Drive Rivets with Plastic Pin

Body: Nylon 6/6 Impact Modified
Pin: Nylon 6/6 Impact Modified

Part #	Diameter x Length	Ctn Qty	Wght Lbs/M	Part #	Diameter x Length	Ctn Qty	Wght Lbs/M
Part Number Comparison Chart at www.kanebridge.com							
10750PRPWH	10X3/4	1,000	1.42	14750PRPWH	1/4X3/4	1,000	2.20
				141000PRPWH	1/4X1	1,000	2.60
				141500PRPWH	1/4X1 1/2	1,000	3.68

Body: WHITE Nylon*
Pin: Nylon*



Truss Head–White

Plastic Drive Rivets with Plastic Pin

Body: Nylon 6/6 Impact Modified
Pin: Nylon 6/6 Impact Modified

Part #	Diameter x Length	Ctn Qty	Wght Lbs/M	Part #	Diameter x Length	Ctn Qty	Wght Lbs/M
Part Number Comparison Chart at www.kanebridge.com							
10750PTPWH	10X3/4	1,000	1.64	14750PTPWH	1/4X3/4	1,000	2.40
				141000PTPWH	1/4X1	1,000	2.93
				141500PTPWH	1/4X1 1/2	1,000	3.90
				142000PTPWH	1/4X2	1,000	4.88
				143000PTPWH	1/4X3	500	6.83
				146000PTPWH	1/4X6	250	12.95

BEIGE Nylon



Truss Head–Beige

Plastic Drive Rivets with Plastic Pin

Body: Nylon 6/6 Impact Modified
Pin: Nylon 6/6 Impact Modified

Part #	Diameter x Length	Ctn Qty	Wght Lbs/M	Part #	Diameter x Length	Ctn Qty	Wght Lbs/M
Part Number Comparison Chart at www.kanebridge.com							
14750PTPBE	1/4X3/4	1,000	2.25	141500PTPBE	1/4X1 1/2	1,000	3.93

GREY Nylon



Truss Head–Grey
Plastic Drive Rivets with Plastic Pin

Body: Nylon 6/6 Impact Modified
Pin: Nylon 6/6 Impact Modified

Part Number Comparison Chart at www.kanebridge.com

Part #	Diameter x Length	Ctn Qty	Wght Lbs/M	Part #	Diameter x Length	Ctn Qty	Wght Lbs/M
14750PTPGY	1/4X3/4	1,000	2.50	141500PTPGY	1/4X1 1/2	1,000	3.98
141000PTPGY	1/4X1	1,000	3.00				

Body: White Nylon*
Mandrel: Carbon Steel



Mushroom Head
Plastic Drive Rivets with Steel Pin

Body: Nylon 6/6 Impact Modified
Pin: Carbon Steel, Zinc Plated

Part Number Comparison Chart at www.kanebridge.com

Part #	Diameter x Length	Ctn Qty	Wght Lbs/M	Part #	Diameter x Length	Ctn Qty	Wght Lbs/M
10750PMSWH	10X3/4	1,000	2.65	14750PMSWH	1/4X3/4	1,000	4.53
101000PMSWH	10X1	1,000	3.20	141000PMSWH	1/4X1	1,000	6.08
				141500PMSWH	1/4X1 1/2	1,000	8.48

Body: White Nylon*
Mandrel: Carbon Steel



Round Head
Plastic Drive Rivets with Steel Pin

Body: Nylon 6/6 Impact Modified
Pin: Carbon Steel, Zinc Plated

Part Number Comparison Chart at www.kanebridge.com

Part #	Diameter x Length	Ctn Qty	Wght Lbs/M	Part #	Diameter x Length	Ctn Qty	Wght Lbs/M
10750PRSWH	10X3/4	1,000	2.70	14750PRSWH	1/4X3/4	1,000	4.60
101000PRSWH	10X1	1,000	3.28	141000PRSWH	1/4X1	1,000	6.10
				141500PRSWH	1/4X1 1/2	1,000	8.53

Body: White Nylon*
Mandrel: Carbon Steel

Truss Head
Plastic Drive Rivets with Steel Pin

Body: Nylon 6/6 Impact Modified
Pin: Carbon Steel, Zinc Plated

Part Number Comparison Chart at www.kanebridge.com

Part #	Diameter x Length	Ctn Qty	Wght Lbs/M	Part #	Diameter x Length	Ctn Qty	Wght Lbs/M
10750PTSWH	10X3/4	1,000	2.82	14750PTSWH	1/4X3/4	1,000	4.70
101000PTSWH	10X1	1,000	1.17				

Aluminum Alloy # 5056

METRIC



Flat Head
Threaded Inserts (Rivet Nuts)

Large Flange, Open End

Part #	Thread Size x Grip	Ctn Qty	Wght Lbs/M	Part #	Thread Size x Grip	Ctn Qty	Wght Lbs/M
XA-M31.00	M3X0.5X1.00	2,000	0.11	XA-M63.50	M6X1.0X3.50	2,000	3.30
XA-M31.75	M3X0.5X1.75	2,000	0.15	XA-M65.00	M6X1.0X5.00	2,000	3.50
XA-M42.00	M4X0.7X2.00	2,000	0.93	XA-M85.00	M8X1.25X5.00	1,000	2.47
XA-M43.00	M4X0.7X3.00	2,000	0.98	XA-M87.00	M8X1.25X7.00	1,000	2.65
XA-M53.50	M5X0.8X3.50	2,000	0.56				
XA-M55.00	M5X0.8X5.00	2,000	0.60				

Steel, Zinc Yellow

METRIC



Round Body, Flat Head
Threaded Inserts (Rivet Nuts)

Large Flange, Open End

Part #	Thread Size x Grip	Ctn Qty	Wght Lbs/M	Part #	Thread Size x Grip	Ctn Qty	Wght Lbs/M
XS-M31.00Y	M3X0.5X1.00	2,000	0.32	XS-M63.50Y	M6X1.0X3.50	2,000	4.03
XS-M31.75Y	M3X0.5X1.75	2,000	0.43	XS-M65.00Y	M6X1.0X5.00	2,000	4.23
XS-M42.00Y	M4X0.7X2.00	2,000	1.12	XS-M85.00Y	M8X1.25X5.00	1,000	7.12
XS-M43.00Y	M4X0.7X3.00	2,000	3.00	XS-M87.00Y	M8X1.25X7.00	1,000	7.62
XS-M53.50Y	M5X0.8X3.50	2,000	1.61				
XS-M55.00Y	M5X0.8X5.00	2,000	1.73				

Steel, Zinc Yellow

METRIC



Round Ribbed Body, Flat Head
Threaded Inserts (Rivet Nuts)

Large Flange, Open End

Part #	Thread Size x Grip	Ctn Qty	Wght Lbs/M	Part #	Thread Size x Grip	Ctn Qty	Wght Lbs/M
XS-M43.20SY	M4X0.7X2.00	2,000	3.50	XS-M65.70SY	M6X1.0X5.70	2,000	9.63
XS-M53.20SY	M5X0.8X3.20	2,000	4.92	XS-M83.20SY	M8X1.25X3.20	1,000	16.00
XS-M55.70SY	M5X0.8X5.70	2,000	4.85	XS-M103.56SY	M10X1.50X3.56	1,000	19.07