Steel Zinc Plated

METRIC

Free Manufacturer's Certifications Available

DIN 6921 Serrated Hex Flange Screws

Class 8.8 Steel, Quenched and Tempered
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M
M510MWW8	M5-0.8X10	5,500	8.90
M512MWW8	M5-0.8X12	5,000	7.90
M516MWW8	M5-0.8X16	4,500	8.90
M610MWW8	M6-1.0X10	3,000	12.40
M612MWW8	M6-1.0X12	2,500	13.05
M616MWW8	M6-1.0X16	2,000	14.75
M620MWW8	M6-1.0X20	2,000	16.00
M625MWW8	M6-1.0X25	1,750	18.00
M630MWW8	M6-1.0X30	1,500	20.00
M812MWW8	M8-1.25X12	1,500	26.60
M816MWW8	M8-1.25X16	1,250	29.75
M820MWW8	M8-1.25X20	1,000	32.20
M825MWW8	M8-1.25X25	900	35.25
M830MWW8	M8-1.25X30	800	38.70

Steel RoHS Zinc Plated

METRIC



Pan Six-Lobe
Machine Screws

Class 4.8 Steel
Head Height & Diameter to DIN 7985
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M
M34MTP	M3-0.5X4	10,000	1.14
M35MTP	M3-0.5X5	10,000	1.22
M36MTP	M3-0.5X6	10,000	1.31
M38MTP	M3-0.5X8	4,000	1.50
M310MTP	M3-0.5X10	10,000	1.72
M312MTP	M3-0.5X12	10,000	1.92
M316MTP	M3-0.5X16	10,000	2.21
M58MTP	M5-0.8X8	5,000	5.63
M510MTP	M5-0.8X10	5,000	6.18
M512MTP	M5-0.8X12	5,000	6.68
M516MTP	M5-0.8X16	4,000	7.73
M520MTP	M5-0.8X20	3,500	8.70
M525MTP	M5-0.8X25	3,000	10.13

We also carry Six-Lobe Machine Screws to ISO 7045 & ISO 14583 standards.

18-8 Stainless Steel

METRIC



DIN 7985A Pan Phillips
Machine Screws

Type H
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M
M1.63MPP188	M1.6-0.35X3	7,500	0.21
M1.64MPP188	M1.6-0.35X4	7,500	0.23
M1.65MPP188	M1.6-0.35X5	7,500	0.25
M1.66MPP188	M1.6-0.35X6	7,500	0.27
M1.68MPP188	M1.6-0.35X8	6,000	0.33
M1.610MPP188	M1.6-0.35X10	6,000	0.36
M1.612MPP188	M1.6-0.35X12	6,000	0.40
M23MPP188	M2-0.4X3	6,000	0.33
M24MPP188	M2-0.4X4	6,000	0.36
M25MPP188	M2-0.4X5	5,000	0.43
M26MPP188	M2-0.4X6	4,000	0.45
M28MPP188	M2-0.4X8	5,000	0.51
M210MPP188	M2-0.4X10	4,000	0.60
M212MPP188	M2-0.4X12	4,000	0.67
M216MPP188	M2-0.4X16	4,000	0.86
M218MPP188	M2-0.4X18	4,000	0.90
M220MPP188	M2-0.4X20	4,000	1.00
M2.53MPP188	M2.5-0.45X3	6,000	0.67
M2.54MPP188	M2.5-0.45X4	6,000	0.71
M2.55MPP188	M2.5-0.45X5	5,000	0.80
M2.56MPP188	M2.5-0.45X6	5,000	0.83
M2.57MPP188	M2.5-0.45X7	5,000	0.90
M2.58MPP188	M2.5-0.45X8	5,000	1.00
M2.510MPP188	M2.5-0.45X10	5,000	1.07
M2.512MPP188	M2.5-0.45X12	5,000	1.25
M2.516MPP188	M2.5-0.45X16	4,000	1.45
M2.520MPP188	M2.5-0.45X20	4,000	1.71
M2.525MPP188	M2.5-0.45X25	4,000	2.00
M2.530MPP188	M2.5-0.45X30	1,500	2.33
M2.535MPP188	M2.5-0.45X35	1,500	2.75
M2.540MPP188	M2.5-0.45X40	1,500	3.00
M34MPP188	M3-0.5X4	4,000	1.19
M35MPP188	M3-0.5X5	4,000	1.27
M36MPP188	M3-0.5X6	4,000	1.39
M38MPP188	M3-0.5X8	4,000	1.63
M310MPP188	M3-0.5X10	3,000	1.80
M312MPP188	M3-0.5X12	3,000	1.95
M314MPP188	M3-0.5X14	3,000	2.20
M316MPP188	M3-0.5X16	3,000	2.32
M318MPP188	M3-0.5X18	3,000	2.50
M320MPP188	M3-0.5X20	3,000	2.69
M325MPP188	M3-0.5X25	2,000	3.14
M330MPP188	M3-0.5X30	2,000	3.63
M335MPP188	M3-0.5X35	2,000	4.05
M340MPP188	M3-0.5X40	2,000	4.50
M345MPP188	M3-0.5X45	2,000	5.13
M350MPP188	M3-0.5X50	2,000	5.50
M3.55MPP188	M3.5-0.6X5	4,000	1.83
M3.56MPP188	M3.5-0.6X6	4,000	1.94
M3.58MPP188	M3.5-0.6X8	4,000	2.21
M3.510MPP188	M3.5-0.6X10	3,000	2.44
M3.512MPP188	M3.5-0.6X12	3,000	2.69
M3.516MPP188	M3.5-0.6X16	3,000	3.25
M3.520MPP188	M3.5-0.6X20	3,000	3.73
M3.525MPP188	M3.5-0.6X25	2,000	4.37
M45MPP188	M4-0.7X5	3,000	2.70
M46MPP188	M4-0.7X6	3,000	2.88
M48MPP188	M4-0.7X8	2,000	3.10
M410MPP188	M4-0.7X10	2,000	4.38
M412MPP188	M4-0.7X12	2,000	3.79
M414MPP188	M4-0.7X14	2,000	4.13
M416MPP188	M4-0.7X16	2,000	4.50
M418MPP188	M4-0.7X18	2,000	4.77
M420MPP188	M4-0.7X20	2,000	5.08
M422MPP188	M4-0.7X22	2,000	3.04
M425MPP188	M4-0.7X25	2,000	5.91
M430MPP188	M4-0.7X30	1,500	6.72
M435MPP188	M4-0.7X35	1,500	7.57
M440MPP188	M4-0.7X40	1,000	8.33
M445MPP188	M4-0.7X45	1,000	9.17
M450MPP188	M4-0.7X50	1,000	10.00
M460MPP188	M4-0.7X60	1,000	11.50
M465MPP188	M4-0.7X65	1,000	12.33
M56MPP188	M5-0.8X6	2,000	5.33
M58MPP188	M5-0.8X8	1,500	5.88
M510MPP188	M5-0.8X10	1,500	6.36
M512MPP188	M5-0.8X12	1,500	6.91
M514MPP188	M5-0.8X14	1,500	7.33
M516MPP188	M5-0.8X16	1,000	7.75
M520MPP188	M5-0.8X20	1,000	8.93
M525MPP188	M5-0.8X25	1,000	10.33
M530MPP188	M5-0.8X30	1,000	11.67
M535MPP188	M5-0.8X35	1,000	12.83
M540MPP188	M5-0.8X40	1,000	14.13
M545MPP188	M5-0.8X45	1,000	15.25
M550MPP188	M5-0.8X50	1,000	16.50
M560MPP188	M5-0.8X60	1,000	19.25
M570MPP188	M5-0.8X70	1,000	21.75
M68MPP188	M6-1.0X8	750	9.58
M610MPP188	M6-1.0X10	700	10.34
M612MPP188	M6-1.0X12	700	10.92
M616MPP188	M6-1.0X16	700	12.75
M620MPP188	M6-1.0X20	500	13.83
M625MPP188	M6-1.0X25	500	15.67
M630MPP188	M6-1.0X30	500	17.83
M635MPP188	M6-1.0X35	500	19.67
M640MPP188	M6-1.0X40	500	21.57
M645MPP188	M6-1.0X45	500	23.50
M650MPP188	M6-1.0X50	500	25.50
M660MPP188	M6-1.0X60	500	29.03
M670MPP188	M6-1.0X70	500	32.93
M812MPP188	M8-1.25X12	500	22.70
M816MPP188	M8-1.25X16	500	25.38
M820MPP188	M8-1.25X20	500	28.05
M825MPP188	M8-1.25X25	500	31.45
M830MPP188	M8-1.25X30	500	34.90
M835MPP188	M8-1.25X35	400	38.17
M840MPP188	M8-1.25X40	400	41.75
M845MPP188	M8-1.25X45	400	45.00
M850MPP188	M8-1.25X50	400	48.25
M860MPP188	M8-1.25X60	400	55.00

Black Oxide over
18-8 Stainless Steel

METRIC



DIN 7985A Pan Phillips
Machine Screws

Type H
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M
M23MPP188B	M2-0.4X3	6,000	0.32
M24MPP188B	M2-0.4X4	6,000	0.38
M25MPP188B	M2-0.4X5	5,000	0.42
M26MPP188B	M2-0.4X6	4,000	0.44
M28MPP188B	M2-0.4X8	5,000	0.53
M210MPP188B	M2-0.4X10	4,000	0.60
M212MPP188B	M2-0.4X12	4,000	0.68
M2.54MPP188B	M2.5-0.45X4	6,000	0.75
M2.56MPP188B	M2.5-0.45X6	5,000	0.86
M2.58MPP188B	M2.5-0.45X8	5,000	1.00
500738	M2.5-0.45X10	4,000	1.09
500742	M2.5-0.45X12	4,000	1.22
M34MPP188B	M3-0.5X4	4,000	1.17
M35MPP188B	M3-0.5X5	4,000	1.47
M36MPP188B	M3-0.5X6	4,000	1.57
M38MPP188B	M3-0.5X8	4,000	1.80
M310MPP188B	M3-0.5X10	3,000	1.93
M312MPP188B	M3-0.5X12	3,000	1.95
M314MPP188B	M3-0.5X14	3,000	2.10
M316MPP188B	M3-0.5X16	3,000	2.28
M320MPP188B	M3-0.5X20	3,000	2.70
M325MPP188B	M3-0.5X25	2,000	3.10
M330MPP188B	M3-0.5X30	2,000	3.60
M45MPP188B	M4-0.7X5	3,000	2.80
M46MPP188B	M4-0.7X6	3,000	3.00
M48MPP188B	M4-0.7X8	2,000	3.17
M410MPP188B	M4-0.7X10	2,000	3.50
M412MPP188B	M4-0.7X12	2,000	3.79
M416MPP188B	M4-0.7X16	2,000	4.42
M420MPP188B	M4-0.7X20	2,000	5.20
M425MPP188B	M4-0.7X25	2,000	6.07
M430MPP188B	M4-0.7X30	1,500	6.90
M435MPP188B	M4-0.7X35	1,500	7.67
M440MPP188B	M4-0.7X40	1,000	8.30
M445MPP188B	M4-0.7X45	1,000	9.25
M450MPP188B	M4-0.7X50	1,000	10.00
M58MPP188B	M5-0.8X8	1,500	6.42
M510MPP188B	M5-0.8X10	1,500	6.97
M512MPP188B	M5-0.8X12	1,500	7.52
M516MPP188B	M5-0.8X16	1,000	8.08
M520MPP188B	M5-0.8X20	1,000	9.10
M525MPP188B	M5-0.8X25	1,000	10.40
M530MPP188B	M5-0.8X30	1,000	11.60
M610MPP188B	M6-1.0X10	700	9.13
M612MPP188B	M6-1.0X12	700	9.90
M616MPP188B	M6-1.0X16	700	12.00
M620MPP188B	M6-1.0X20	500	13.90
M625MPP188B	M6-1.0X25	500	15.93
M630MPP188B	M6-1.0X30	500	17.90
M635MPP188B	M6-1.0X35	500	19.87
M640MPP188B	M6-1.0X40	500	21.77
M645MPP188B	M6-1.0X45	500	23.65
M650MPP188B	M6-1.0X50	500	25.55
M812MPP188B	M8-1.25X12	500	22.70
M816MPP188B	M8-1.25X16	500	25.30
M820MPP188B	M8-1.25X20	500	28.00
M825MPP188B	M8-1.25X25	500	31.35
M830MPP188B	M8-1.25X30	500	34.90
M835MPP188B	M8-1.25X35	400	38.20
M840MPP188B	M8-1.25X40	400	41.50

Steel Zinc Plated

METRIC



DIN 7985A Pan Phillips
Machine Screws

Type H
Class 4.8 Steel
Coarse / Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M
M1.63D7985A	M1.6-0.35X3	8,000	0.20
M1.64D7985A	M1.6-0.35X4	8,000	0.20
M1.65D7985A	M1.6-0.35X5	8,000	0.30
M1.66D7985A	M1.6-0.35X6	8,000	0.30
M1.610D7985A	M1.6-0.35X10	8,000	0.40
M1.612D7985A	M1.6-0.35X12	8,000	0.40
M23D7985A	M2-0.4X3	6,000	0.32
M24D7985A	M2-0.4X4	4,000	0.42
M25D7985A	M2-0.4X5	4,000	0.45
M26D7985A	M2-0.4X6	4,000	0.48
M28D7985A	M2-0.4X8	4,000	0.56
M210D7985A	M2-0.4X10	4,000	0.62
M212D7985A	M2-0.4X12	4,000	0.72
M2.53D7985A	M2.5-0.45X3	5,000	0.75
M2.54D7985A	M2.5-0.45X4	5,000	0.82
M2.55D7985A	M2.5-0.45X5	5,000	0.88
M2.56D7985A	M2.5-0.45X6	4,000	0.95
M2.58D7985A	M2.5-0.45X8	4,000	1.08
M2.510D7985A	M2.5-0.45X10	4,000	1.21
M2.512D7985A	M2.5-0.45X12	3,000	1.35
M2.516D7985A	M2.5-0.45X16	3,000	1.48
M2.518D7985A	M2.5-0.45X18	3,000	1.63
M2.520D7985A	M2.5-0.45X20	3,000	1.72
M2.525D7985A	M2.5-0.45X25	3,000	2.05
M2.530D7985A	M2.5-0.45X30	3,000	2.37
M34D7985A	M3-0.5X4	4,000	1.37
M35D7985A	M3-0.5X5	4,000	1.47
M36D7985A	M3-0.5X6	4,000	1.57
M38D7985A	M3-0.5X8	4,000	1.80
M310D7985A	M3-0.5X10	3,000	1.93
M312D7985A	M3-0.5X12	3,000	2.10
M314D7985A	M3-0.5X14	3,000	2.18
M316D7985A	M3-0.5X16	3,000	2.45
M318D7985A	M3-0.5X18	3,000	2.43
M320D7985A	M3-0.5X20	3,000	2.80
M325D7985A	M3-0.5X25	2,000	3.24
M330D7985A	M3-0.5X30	2,000	3.80
M335D7985A	M3-0.5X35	2,000	4.00
M340D7985A	M3-0.5X40	2,000	4.30
M3.54D7985A	M3.5-0.6X4	5,000	1.75
M3.55D7985A	M3.5-0.6X5	4,000	1.86
M3.56D7985A	M3.5-0.6X6	3,000	2.30
M3.58D7985A	M3.5-0.6X8	3,000	2.20
M3.510D7985A	M3.5-0.6X10	3,000	2.43
M3.512D7985A	M3.5-0.6X12	2,000	2.72
M3.516D7985A	M3.5-0.6X16	2,000	3.23
M3.520D7985A	M3.5-0.6X20	2,000	3.75
M3.525D7985A	M3.5-0.6X25	1,500	4.38
M3.530D7985A	M3.5-0.6X30	1,500	5.00
M3.535D7985A	M3.5-0.6X35	1,500	5.60
M3.540D7985A	M3.5-0.6X40	1,500	6.25
M44D7985A	M4-0.7X4	3,000	2.37
M45D7985A	M4-0.7X5	3,000	2.80
M46D7985A	M4-0.7X6	3,000	3.00
M48D7985A	M4-0.7X8	2,000	3.17
M410D7985A	M4-0.7X10	2,000	3.50
M412D7985A	M4-0.7X12	2,000	3.79
M416D7985A	M4-0.7X16	2,000	4.36
M418D7985A	M4-0.7X18	2,000	4.85
M420D7985A	M4-0.7X20	2,000	5.00
M422D7985A	M4-0.7X22	2,000	5.38
M425D7985A	M4-0.7X25	2,000	5.81
M430D7985A	M4-0.7X30	1,500	6.75
M435D7985A	M4-0.7X35	1,500	7.50
M440D7985A	M4-0.7X40	1,000	8.38
M445D7985A	M4-0.7X45	1,000	9.15
M450D7985A	M4-0.7X50	1,000	10.00
M55D7985A	M5-0.8X5	2,000	5.10
M56D7985A	M5-0.8X6	2,000	5.86
M58D7985A	M5-0.8X8	1,500	6.42
M510D7985A	M5-0.8X10	1,500	6.97
M512D7985A	M5-0.8X12	1,500	7.52
M514D7985A	M5-0.8X14	1,500	7.42
M516D7985A	M5-0.8X16	1,000	7.73
M520D7985A	M5-0.8X20	1,000	8.86
M525D7985A	M5-0.8X25	1,000	10.00
M530D7985A	M5-0.8X30	1,000	11.42
M535D7985A	M5-0.8X35	700	12.79
M540D7985A	M5-0.8X40	600	14.00
M545D7985A	M5-0.8X45	500	15.30
M550D7985A	M5-0.8X50	500	16.50
M560D7985A	M5-0.8X60	500	19.75
M68D7985A	M6-1.0X8	1,000	8.36
M610D7985A	M6-1.0X10	700	9.13
M612D7985A	M6-1.0X12	700	9.90
M614D7985A	M6-1.0X14	700	6.40
M616D7985A	M6-1.0X16	700	12.00
M620D7985A	M6-1.0X20	700	13.23
M625D7985A	M6-1.0X25	700	15.15
M630D7985A	M6-1.0X30	600	17.09
M635D7985A	M6-1.0X35	600	19.43
M640D7985A	M6-1.0X40	500	21.20
M645D7985A	M6-1.0X45	500	22.93
M650D7985A	M6-1.0X50	500	25.10
M88D7985A	M8-1.25X8	1,000	20.00
M810D7985A	M8-1.25X10	750	21.17
M812D7985A	M8-1.25X12	500	24.50
M816D7985A	M8-1.25X16	500	27.20
M820D7985A	M8-1.25X20	500	30.00
M825D7985A	M8-1.25X25	500	33.40
M830D7985A	M8-1.25X30	500	36.88
M835D7985A	M8-1.25X35	400	40.30
M840D7985A	M8-1.25X40	400	43.70

Metric Pan Head Machine Screws to:

- *DIN7985A*
- *ISO 7045*
- *ISO 14583*
- *JIS-B 1111*

ABE Above Board Electronics, Inc.
Request Info
1-800-453-1692
www.aboveboardelectronics.com

Steel Black Oxide

METRIC



DIN 7985A Pan Phillips
Machine Screws
Type H
Class 4.8 Steel
Coarse / Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M
M1.63D7985AB	M1.6-0.35X3	8,000	0.20
M1.64D7985AB	M1.6-0.35X4	8,000	0.20
M1.65D7985AB	M1.6-0.35X5	8,000	0.30
M1.66D7985AB	M1.6-0.35X6	8,000	0.30
560721	M1.6-0.35X10	8,000	0.40
560739	M1.6-0.35X12	8,000	0.40
M24D7985AB	M2-0.4X4	4,000	0.40
M25D7985AB	M2-0.4X5	4,000	0.45
M26D7985AB	M2-0.4X6	4,000	0.40
M28D7985AB	M2-0.4X8	4,000	0.56
M210D7985AB	M2-0.4X10	4,000	0.62
M212D7985AB	M2-0.4X12	4,000	0.72
M2.53D7985AB	M2.5-0.45X3	5,000	0.65
M2.54D7985AB	M2.5-0.45X4	5,000	0.72
M2.55D7985AB	M2.5-0.45X5	5,000	0.80
M2.56D7985AB	M2.5-0.45X6	4,000	0.90
M2.58D7985AB	M2.5-0.45X8	4,000	0.98
503482	M2.5-0.45X10	4,000	1.20
503495	M2.5-0.45X12	3,000	1.35
M34D7985AB	M3-0.5X4	4,000	1.21
M35D7985AB	M3-0.5X5	4,000	1.32
M36D7985AB	M3-0.5X6	4,000	1.36
M38D7985AB	M3-0.5X8	4,000	1.80
M310D7985AB	M3-0.5X10	3,000	1.90
M312D7985AB	M3-0.5X12	3,000	2.10
M314D7985AB	M3-0.5X14	3,000	2.10
M316D7985AB	M3-0.5X16	3,000	2.28
M320D7985AB	M3-0.5X20	3,000	2.64
M325D7985AB	M3-0.5X25	2,000	3.06
M330D7985AB	M3-0.5X30	2,000	3.54
M3.56D7985AB	M3.5-0.6X6	3,000	1.93
M3.58D7985AB	M3.5-0.6X8	3,000	2.20
503505	M3.5-0.6X10	3,000	2.40
503514	M3.5-0.6X20	2,000	3.75
M46D7985AB	M4-0.7X6	3,000	2.88
M48D7985AB	M4-0.7X8	2,000	3.25
M410D7985AB	M4-0.7X10	2,000	3.37
M412D7985AB	M4-0.7X12	2,000	3.85
M416D7985AB	M4-0.7X16	2,000	4.47
M420D7985AB	M4-0.7X20	2,000	5.25
M425D7985AB	M4-0.7X25	2,000	6.00
M430D7985AB	M4-0.7X30	1,500	6.70
M435D7985AB	M4-0.7X35	1,500	7.54
M440D7985AB	M4-0.7X40	1,000	8.38
M445D7985AB	M4-0.7X45	1,000	9.29
M450D7985AB	M4-0.7X50	1,000	10.00
M56D7985AB	M5-0.8X6	2,000	5.30
M58D7985AB	M5-0.8X8	1,500	6.13
M510D7985AB	M5-0.8X10	1,500	6.33
M512D7985AB	M5-0.8X12	1,500	6.88
M516D7985AB	M5-0.8X16	1,000	8.00
M520D7985AB	M5-0.8X20	1,000	9.00
M525D7985AB	M5-0.8X25	1,000	10.30
M530D7985AB	M5-0.8X30	1,000	11.40
M535D7985AB	M5-0.8X35	700	12.75
M540D7985AB	M5-0.8X40	600	14.15
M545D7985AB	M5-0.8X45	500	15.30
M550D7985AB	M5-0.8X50	500	16.50
M68D7985AB	M6-1.0X8	1,000	9.10
M610D7985AB	M6-1.0X10	700	10.00
M612D7985AB	M6-1.0X12	700	10.80
M616D7985AB	M6-1.0X16	700	12.00
M620D7985AB	M6-1.0X20	700	13.50
M625D7985AB	M6-1.0X25	700	15.63
M630D7985AB	M6-1.0X30	600	17.00
M635D7985AB	M6-1.0X35	600	19.40
M640D7985AB	M6-1.0X40	500	22.15
M650D7985AB	M6-1.0X50	500	25.10
M812D7985AB	M8-1.25X12	500	23.00
M816D7985AB	M8-1.25X16	500	25.50
M820D7985AB	M8-1.25X20	500	28.17
M825D7985AB	M8-1.25X25	500	31.67
M830D7985AB	M8-1.25X30	500	34.75

18-8 Stainless Steel

METRIC



DIN965 Flat Phillips
Machine Screws
18-8 Stainless Steel
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M
M23MPF188	M2-0.4X3	2,000	0.18
M24MPF188	M2-0.4X4	2,000	0.22
M25MPF188	M2-0.4X5	2,000	0.25
M26MPF188	M2-0.4X6	2,000	0.30
M28MPF188	M2-0.4X8	2,000	0.35
M210MPF188	M2-0.4X10	2,000	0.44
M212MPF188	M2-0.4X12	2,000	0.50
M216MPF188	M2-0.4X16	1,500	0.67
M2.54MPF188	M2.5-0.45X4	2,000	0.37
M2.55MPF188	M2.5-0.45X5	2,000	0.40
M2.56MPF188	M2.5-0.45X6	2,000	4.94
M2.58MPF188	M2.5-0.45X8	2,000	0.62
M2.510MPF188	M2.5-0.45X10	1,500	0.75
M2.512MPF188	M2.5-0.45X12	1,500	0.89
M2.516MPF188	M2.5-0.45X16	1,500	1.08
M2.520MPF188	M2.5-0.45X20	1,500	1.36
M34MPF188	M3-0.5X4	2,000	0.59
M35MPF188	M3-0.5X5	2,000	0.69
M36MPF188	M3-0.5X6	2,000	0.77
M38MPF188	M3-0.5X8	2,000	0.96

18-8 Stainless Steel

METRIC



DIN965 Flat Phillips
Machine Screws
18-8 Stainless Steel
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M
M310MPF188	M3-0.5X10	2,000	1.12
M312MPF188	M3-0.5X12	1,500	1.30
M316MPF188	M3-0.5X16	1,500	1.68
M320MPF188	M3-0.5X20	1,500	2.00
M325MPF188	M3-0.5X25	1,250	2.50
M330MPF188	M3-0.5X30	1,000	3.00
M335MPF188	M3-0.5X35	1,000	3.33
M340MPF188	M3-0.5X40	1,000	3.85
M45MPF188	M4-0.7X5	1,500	1.39
M46MPF188	M4-0.7X6	1,500	1.56
M48MPF188	M4-0.7X8	1,500	1.89
M410MPF188	M4-0.7X10	1,500	2.17
M412MPF188	M4-0.7X12	1,250	2.50
M414MPF188	M4-0.7X14	1,250	2.80
M416MPF188	M4-0.7X16	1,000	3.15
M420MPF188	M4-0.7X20	1,000	3.79
M425MPF188	M4-0.7X25	1,000	4.60
M430MPF188	M4-0.7X30	750	5.44
M435MPF188	M4-0.7X35	750	5.93
M440MPF188	M4-0.7X40	500	7.00
M445MPF188	M4-0.7X45	500	7.88
M450MPF188	M4-0.7X50	500	8.75
M56MPF188	M5-0.8X6	1,000	2.65
M58MPF188	M5-0.8X8	1,000	3.16
M510MPF188	M5-0.8X10	1,000	3.80
M512MPF188	M5-0.8X12	1,000	4.33
M516MPF188	M5-0.8X16	750	5.38
M520MPF188	M5-0.8X20	750	6.40
M525MPF188	M5-0.8X25	750	7.70
M530MPF188	M5-0.8X30	500	9.07
M535MPF188	M5-0.8X35	500	10.33
M540MPF188	M5-0.8X40	500	11.60
M545MPF188	M5-0.8X45	500	13.00
M550MPF188	M5-0.8X50	500	14.38
M560MPF188	M5-0.8X60	500	16.75
M610MPF188	M6-1.0X10	750	5.83
M612MPF188	M6-1.0X12	750	6.53
M616MPF188	M6-1.0X16	500	8.17
M620MPF188	M6-1.0X20	500	9.13
M625MPF188	M6-1.0X25	500	11.38
M630MPF188	M6-1.0X30	350	13.17
M635MPF188	M6-1.0X35	350	15.17
M640MPF188	M6-1.0X40	300	17.00
M645MPF188	M6-1.0X45	250	18.75
M650MPF188	M6-1.0X50	250	20.73
M660MPF188	M6-1.0X60	250	24.40
M670MPF188	M6-1.0X70	250	28.25
M680MPF188	M6-1.0X80	250	31.75
M812MPF188	M8-1.25X12	250	10.00
M816MPF188	M8-1.25X16	250	13.83
M820MPF188	M8-1.25X20	250	16.63
M825MPF188	M8-1.25X25	250	20.17
M830MPF188	M8-1.25X30	250	23.50
M835MPF188	M8-1.25X35	250	27.00
M840MPF188	M8-1.25X40	250	30.25
M850MPF188	M8-1.25X50	250	37.33
M860MPF188	M8-1.25X60	250	44.00
M1020MPF188	M10-1.5X20	250	28.75
M1025MPF188	M10-1.5X25	250	33.75
M1030MPF188	M10-1.5X30	250	39.50
M1040MPF188	M10-1.5X40	250	49.70

18-8 Stainless Steel
with Black Oxide Finish

METRIC



DIN 965 Flat Phillips
Machine Screws
Type H
Stainless Steel with Black Oxide Finish
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M
M24MPF188B	M2-0.4X4	7,000	0.23
M25MPF188B	M2-0.4X5	7,000	0.30
M26MPF188B	M2-0.4X6	7,000	0.30
M28MPF188B	M2-0.4X8	7,000	0.38
M210MPF188B	M2-0.4X10	7,000	0.45
M2.54MPF188B	M2.5-0.45X4	7,000	0.41
M2.55MPF188B	M2.5-0.45X5	7,000	0.43
M2.56MPF188B	M2.5-0.45X6	7,000	0.53
M2.58MPF188B	M2.5-0.45X8	7,000	0.60
M34MPF188B	M3-0.5X4	5,000	0.60
M35MPF188B	M3-0.5X5	4,000	0.74
M36MPF188B	M3-0.5X6	4,000	0.78
M38MPF188B	M3-0.5X8	4,000	0.95
M310MPF188B	M3-0.5X10	3,000	1.15
M312MPF188B	M3-0.5X12	3,000	1.31
M316MPF188B	M3-0.5X16	5,000	1.71
M45MPF188B	M4-0.7X5	3,000	1.30
M46MPF188B	M4-0.7X6	3,000	1.66
M48MPF188B	M4-0.7X8	2,000	2.01
M410MPF188B	M4-0.7X10	2,000	2.34
M412MPF188B	M4-0.7X12	2,000	2.69
M416MPF188B	M4-0.7X16	4,000	3.11
M58MPF188B	M5-0.8X8	1,500	3.20
M510MPF188B	M5-0.8X10	1,500	3.75
M512MPF188B	M5-0.8X12	1,500	4.30
M516MPF188B	M5-0.8X16	3,000	5.50
M610MPF188B	M6-1.0X10	700	5.60
M612MPF188B	M6-1.0X12	700	5.95
M616MPF188B	M6-1.0X16	700	7.38

Steel Zinc Plated

METRIC



DIN 965 Flat Phillips
Machine Screws
Type H
Class 4.8 Steel
Coarse / Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M
M23D965	M2-0.4X3	4,000	0.19
M24D965	M2-0.4X4	4,000	0.26
M25D965	M2-0.4X5	4,000	0.30
M26D965	M2-0.4X6	4,000	0.34
M28D965	M2-0.4X8	4,000	0.43
M210D965	M2-0.4X10	4,000	0.51
M212D965	M2-0.4X12	4,000	0.59
M216D965	M2-0.4X16	3,000	0.66
M220D965	M2-0.4X20	4,000	1.45
M2.54D965	M2.5-0.45X4	4,000	0.45
M2.55D965	M2.5-0.45X5	4,000	0.52
M2.56D965	M2.5-0.45X6	4,000	0.59
M2.58D965	M2.5-0.45X8	4,000	0.72
M2.510D965	M2.5-0.45X10	3,000	0.85
M2.512D965	M2.5-0.45X12	3,000	0.98
M2.516D965	M2.5-0.45X16	3,000	1.25
M2.520D965	M2.5-0.45X20	3,000	1.51
M34D965	M3-0.5X4	4,000	0.58
M35D965	M3-0.5X5	5,000	0.74
M36D965	M3-0.5X6	4,000	0.78
M38D965	M3-0.5X8	4,000	0.95
M310D965	M3-0.5X10	4,000	1.15
M312D965	M3-0.5X12	3,000	1.31
M314D965	M3-0.5X14	3,000	2.28
M316D965	M3-0.5X16	3,000	1.70
M318D965	M3-0.5X18	3,000	1.86
M320D965	M3-0.5X20	3,000	2.05
M325D965	M3-0.5X25	2,500	2.50
M330D965	M3-0.5X30	2,000	2.95
M335D965	M3-0.5X35	2,000	3.32
M340D965	M3-0.5X40	2,000	4.30
M345D965	M3-0.5X45	2,000	4.70
M350D965	M3-0.5X50	2,000	5.30
M3.55D965	M3.5-0.6X5	3,000	0.95
M3.56D965	M3.5-0.6X6	4,000	1.22
M3.58D965	M3.5-0.6X8	4,000	1.48
M3.510D965	M3.5-0.6X10	3,000	1.75
M3.512D965	M3.5-0.6X12	3,000	2.01
M3.520D965	M3.5-0.6X20	2,000	2.88
M3.525D965	M3.5-0.6X25	2,000	3.50
M3.530D965	M3.5-0.6X30	1,500	4.13
M45D965	M4-0.7X5	3,000	1.29
M46D965	M4-0.7X6	3,000	1.66
M48D965	M4-0.7X8	3,000	2.01
M410D965	M4-0.7X10	3,000	2.34
M412D965	M4-0.7X12	2,500	2.69
M414D965	M4-0.7X14	2,500	4.00
M416D965	M4-0.7X16	2,000	3.37
M420D965	M4-0.7X20	2,000	4.06
M425D965	M4-0.7X25	2,000	4.64
M430D965	M4-0.7X30	1,500	5.41
M435D965	M4-0.7X35	1,500	6.22
M440D965	M4-0.7X40	1,000	7.00
M445D965	M4-0.7X45	1,000	9.15
M460D965	M4-0.7X60	1,000	11.00
M470D965	M4-0.7X70	1,000	11.79
M480D965	M4-0.7X80	1,000	13.00
M56D965	M5-0.8X6	2,000	2.47
M58D965	M5-0.8X8	2,000	3.20
M510D965	M5-0.8X10	2,000	3.75
M512D965	M5-0.8X12	2,000	4.30
M514D965	M5-0.8X14	2,000	7.63
M516D965	M5-0.8X16	1,500	5.38
M518D965	M5-0.8X18	1,500	5.60
M520D965	M5-0.8X20	1,500	6.48
M525D965	M5-0.8X25	1,500	7.83
M530D965	M5-0.8X30	1,000	9.17
M532D965	M5-0.8X32	1,000	9.25
M535D965	M5-0.8X35	1,000	10.06
M540D965	M5-0.8X40	1,000	11.21
M545D965	M5-0.8X45	1,000	12.67
M550D965	M5-0.8X50	1,000	16.50
M560D965	M5-0.8X60	1,000	17.70
M68D965	M6-1.0X8	1,000	4.10
M610D965	M6-1.0X10	1,500	5.60
M612D965	M6-1.0X12	1,500	5.95
M614D965	M6-1.0X14	1,000	10.75
M616D965	M6-1.0X16	1,000	7.38
M620D965	M6-1.0X20	1,000	8.94
M625D965	M6-1.0X25	1,000	10.83
M630D965	M6-1.0X30	700	12.70
M635D965	M6-1.0X35	700	14.60
M640D965	M6-1.0X40	600	16.38
M645D965	M6-1.0X45	500	18.33
M650D965	M6-1.0X50	500	20.10
M660D965	M6-1.0X60	500	27.35
M680D965	M6-1.0X80	500	40.60
M816D965	M8-1.25X16	500	14.00
M820D965	M8-1.25X20	500	24.20
M825D965	M8-1.25X25	500	27.50
M830D965	M8-1.25X30	500	31.70
M835D965	M8-1.25X35	500	33.00
M840D965	M8-1.25X40	500	40.10
M850D965	M8-1.25X50	500	47.50

Ask us about how to have your orders Custom Labelled.

Steel Black Oxide

METRIC



DIN 965 Flat Phillips
Machine Screws
Type H
Class 4.8 Steel
Coarse / Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M
M24D965B	M2-0.4X4	4,000	0.20
M25D965B	M2-0.4X5	4,000	0.25
M26D965B	M2-0.4X6	4,000	0.29
M28D965B	M2-0.4X8	4,000	0.37
M210D965B	M2-0.4X10	4,000	0.41
M212D965B	M2-0.4X12	4,000	0.50
M216D965B	M2-0.4X16	3,000	0.64
M220D965B	M2-0.4X20	4,000	0.80
M2.54D965B	M2.5-0.45X4	4,000	0.40
M2.55D965B	M2.5-0.45X5	4,000	0.42
M2.56D965B	M2.5-0.45X6	4,000	0.45
M2.58D965B	M2.5-0.45X8	4,000	0.55
M2.510D965B	M2.5-0.45X10	3,000	0.75
M2.512D965B	M2.5-0.45X12	3,000	0.87
M2.516D965B	M2.5-0.45X16	3,000	1.08
M34D965B	M3-0.5X4	4,000	0.56
M35D965B	M3-0.5X5	5,000	0.71
M36D965B	M3-0.5X6	4,000	0.72
M38D965B	M3-0.5X8	4,000	0.88
M310D965B	M3-0.5X10	4,000	1.15
M312D965B	M3-0.5X12	3,000	1.30
M314D965B	M3-0.5X14	3,000	1.47
M316D965B	M3-0.5X16	3,000	1.70
M318D965B	M3-0.5X18	3,000	1.80
M320D965B	M3-0.5X20	3,000	2.00
M325D965B	M3-0.5X25	2,500	2.50
M330D965B	M3-0.5X30	2,000	2.93
M45D965B	M4-0.7X5	3,000	1.20
M46D965B	M4-0.7X6	3,000	1.40
M48D965B	M4-0.7X8	3,000	1.60
M410D965B	M4-0.7X10	3,000	2.10
M412D965B	M4-0.7X12	2,500	2.30
M414D965B	M4-0.7X14	2,500	2.72
M416D965B	M4-0.7X16	2,000	3.10
M420D965B	M4-0.7X20	2,000	3.68
M425D965B	M4-0.7X25	2,000	4.40
M430D965B	M4-0.7X30	1,500	5.20
M510D965B	M5-0.8X10	2,000	3.59
M512D965B	M5-.08X12	2,000	4.30
M610D965B	M6-1.0X10	1,500	5.10
M612D965B	M6-1.0X12	1,500	5.80
M614D965B	M6-1.0X14	1,000	6.60
M616D965B	M6-1.0X16	1,000	7.50
M620D965B	M6-1.0X20	1,000	8.93
M625D965B	M6-1.0X25	1,000	10.70
M630D965B	M6-1.0X30	700	12.80
M635D965B	M6-1.0X35	700	14.60
M640D965B	M6-1.0X40	600	16.30

A2 Stainless Steel

METRIC



ISO 7045 Pan Six-Lobe
Machine Screws
Manufactured to ISO 7045 Specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M
MI24MTP188	M2-0.4X4	3,000	0.39
MI25MTP188	M2-0.4X5	3,000	0.42
MI26MTP188	M2-0.4X6	3,000	0.46
MI28MTP188	M2-0.4X8	3,000	0.56
MI210MTP188	M2-0.4X10	3,000	0.62
MI212MTP188	M2-0.4X12	3,000	0.71
MI2.53MTP188	M2.5-0.45X3	3,000	0.60
MI2.54MTP188	M2.5-0.45X4	3,000	0.71
MI2.55MTP188	M2.5-0.45X5	3,000	0.75
MI2.56MTP188	M2.5-0.45X6	3,000	0.84
MI2.58MTP188	M2.5-0.45X8	3,000	0.94
MI2.510MTP18	M2.5-0.45X10	3,000	1.00
MI2.512MTP18	M2.5-0.45X12	3,000	1.19
MI2.516MTP18	M2.5-0.45X16	3,000	1.50
MI33MTP188	M3-0.5X3	2,000	0.96
MI34MTP188	M3-0.5X4	2,000	1.10
MI35MTP188	M3-.5X5	1,000	1.12
MI36MTP188	M3-.5X6	1,000	1.22
MI38MTP188	M3-.5X8	1,000	1.41
MI310MTP188	M3-.5X10	1,000	1.60
MI312MTP188	M3-.5X12	1,000	1.80
MI316MTP188	M3-.5X16	1,000	2.12
MI314MTP188	M3-0.5X14	2,000	2.00
MI318MTP188	M3-0.5X18	2,000	2.34
MI320MTP188	M3-0.5X20	2,000	2.52
MI325MTP188	M3-0.5X25	2,000	2.97
MI330MTP188	M3-0.5X30	2,000	3.42
MI3.56MTP188	M3.5-0.6X6	2,000	1.86
MI3.58MTP188	M3.5-0.6X8	2,000	2.11
MI3.510MTP18	M3.5-0.6X10	2,000	2.33
MI3.512MTP18	M3.5-0.6X12	2,000	2.61
MI3.516MTP18	M3.5-0.6X16	2,000	3.14
MI3.520MTP18	M3.5-0.6X20	2,000	3.57
MI3.525MTP18	M3.5-0.6X25	2,000	4.19
MI3.530MTP18	M3.5-0.6X30	2,000	4.80
MI46MTP188	M4-.7X6	1,000	2.56
MI48MTP188	M4-.7X8	1,000	2.96
MI410MTP188	M4-.7X10	1,000	3.31
MI412MTP188	M4-.7X12	1,000	3.59
MI416MTP188	M4-0.7X16	2,000	4.45
MI420MTP188	M4-0.7X20	2,000	5.00
MI425MTP188	M4-0.7X25	2,000	5.85
MI430MTP188	M4-0.7X30	2,000	6.69
MI435MTP188	M4-0.7X35	2,000	7.40

A2 Stainless Steel

METRIC

ISO 7045 Pan Six-Lobe
Machine Screws

Manufactured to ISO 7045 Specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M
MI440MTP188	M4-0.7X40	2,000	8.21
MI445MTP188	M4-0.7X45	2,000	9.00
MI450MTP188	M4-0.7X50	2,000	9.67
MI56MTP188	M5-0.8X6	1,000	4.59
MI58MTP188	M5-0.8X8	1,000	5.13
MI510MTP188	M5-0.8X10	1,000	5.64
MI512MTP188	M5-0.8X12	1,000	6.14
MI516MTP188	M5-0.8X16	1,000	7.22
MI520MTP188	M5-0.8X20	1,000	8.30
MI525MTP188	M5-0.8X25	1,000	9.63
MI530MTP188	M5-0.8X30	1,000	10.86
MI535MTP188	M5-0.8X35	1,000	12.00
MI540MTP188	M5-0.8X40	1,000	13.50
MI545MTP188	M5-0.8X45	500	14.83
MI550MTP188	M5-0.8X50	500	16.03
MI68MTP188	M6-1.0X8	500	8.78
MI610MTP188	M6-1.0X10	500	9.75
MI612MTP188	M6-1.0X12	500	10.43
MI616MTP188	M6-1.0X16	500	11.92
MI620MTP188	M6-1.0X20	500	13.42
MI625MTP188	M6-1.0X25	500	15.30
MI630MTP188	M6-1.0X30	500	17.10
MI635MTP188	M6-1.0X35	500	19.00
MI640MTP188	M6-1.0X40	500	21.00
MI645MTP188	M6-1.0X45	500	23.00
MI650MTP188	M6-1.0X50	500	24.90

Steel RoHS Zinc Plated

METRIC



ISO 7045 Six-Lobe Pan
Machine Screws

Manufactured to ISO 7045 Specifications
Steel RoHS Zinc / Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M
MI2.557045T	M2.5-0.45X5	5,000	0.88
MI2.567045T	M2.5-0.45X6	4,000	0.95
MI2.587045T	M2.5-0.45X8	4,000	1.08
MI2.5107045T	M2.5-0.45X10	4,000	1.21
MI2.5127045T	M2.5-0.45X12	3,000	1.35
MI347045T	M3-0.5X4	4,000	1.19
MI357045T	M3-0.5X5	4,000	1.30
MI367045T	M3-0.5X6	4,000	1.39
MI387045T	M3-0.5X8	4,000	1.59
MI3107045T	M3-0.5X10	3,000	1.79
MI3127045T	M3-0.5X12	3,000	1.98
MI3167045T	M3-0.5X16	3,000	2.36
MI3187045T	M3-0.5X18	3,000	2.38
MI3207045T	M3-0.5X20	3,000	2.50
MI467045T	M4-0.7X6	3,000	3.04
MI487045T	M4-0.7X8	2,000	3.37
MI4107045T	M4-0.7X10	2,000	3.73
MI4127045T	M4-0.7X12	2,000	4.06
MI4147045T	M4-0.7X14	2,000	4.00
MI4167045T	M4-0.7X16	2,000	4.74
MI587045T	M5-0.8X8	1,500	5.89
MI5107045T	M5-0.8X10	1,500	6.31
MI5127045T	M5-0.8X12	1,500	6.83
MI5167045T	M5-0.8X16	1,000	7.94
MI5207045T	M5-0.8X20	1,000	8.95
MI5257045T	M5-0.8X25	1,000	10.36
MI5307045T	M5-0.8X30	2,500	10.88
MI5357045T	M5-0.8X35	2,500	12.05
MI5407045T	M5-0.8X40	2,500	13.36
MI5457045T	M5-0.8X45	2,000	14.83
MI5507045T	M5-0.8X50	2,000	16.08
MI687045T	M6-1.0X8	2,000	9.02
MI6107045T	M6-1.0X10	2,000	9.25
MI6127045T	M6-1.0X12	2,000	10.45
MI6167045T	M6-1.0X16	1,000	12.50
MI6207045T	M6-1.0X20	1,000	14.00
MI6257045T	M6-1.0X25	1,000	15.75
MI6307045T	M6-1.0X30	1,000	17.15
MI6357045T	M6-1.0X35	1,000	19.05
MI6407045T	M6-1.0X40	1,000	20.75
MI6457045T	M6-1.0X45	1,000	22.50
MI6507045T	M6-1.0X50	1,000	24.47

NEW!

Steel Black Oxide

METRIC

ISO 7045 Pan Six-Lobe
Machine Screws

Manufactured to ISO 7045 Specifications
Class 4.8 Steel / Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M
MI34MTPB	M3-0.5X4	4,000	1.03
MI35MTPB	M3-0.5X5	4,000	1.08
MI36MTPB	M3-0.5X6	4,000	1.20
MI38MTPB	M3-0.5X8	4,000	1.40
MI310MTPB	M3-0.5X10	3,000	1.60
MI312MTPB	M3-0.5X12	3,000	1.76
MI316MTPB	M3-0.5X16	3,000	2.10
MI46MTPB	M4-0.7X6	3,000	2.60
MI48MTPB	M4-0.7X8	2,000	3.00
MI410MTPB	M4-0.7X10	2,000	3.30
MI412MTPB	M4-0.7X12	2,000	3.75
MI414MTPB	M4-0.7X14	2,000	4.00
MI416MTPB	M4-0.7X16	2,000	4.40
MI58MTPB	M5-0.8X8	1,500	5.20
MI510MTPB	M5-0.8X10	1,500	5.80
MI512MTPB	M5-0.8X12	1,500	6.20
MI516MTPB	M5-0.8X16	1,000	7.20
MI520MTPB	M5-0.8X20	1,000	8.25
MI525MTPB	M5-0.8X25	1,000	9.50
MI530MTPB	M5-0.8X30	2,500	10.80
MI612MTPB	M6-1.0X12	2,000	10.40
MI616MTPB	M6-1.0X16	1,000	12.20
MI620MTPB	M6-1.0X20	1,000	14.00

Steel RoHS Zinc

METRIC



Free Manufacturer's Certifications Available

ISO 14581 Flat Six-Lobe
Machine Screws

Class 8.8 Steel, Heat Treated Steel RoHS Zinc
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M
MI2414581	M2-0.4X4	10,000	0.23
MI2514581	M2-0.4X5	10,000	0.27
MI2614581	M2-0.4X6	10,000	0.32
MI2814581	M2-0.4X8	10,000	0.42
MI21014581	M2-0.4X10	10,000	0.47
MI21214581	M2-0.4X12	10,000	0.53
MI21614581	M2-0.4X16	10,000	0.69
MI2.5414581	M2.5-0.45X4	10,000	0.38
MI2.5514581	M2.5-0.45X5	10,000	0.45
MI2.5614581	M2.5-0.45X6	10,000	0.51
MI2.5814581	M2.5-0.45X8	10,000	0.63
MI2.51014581	M2.5-0.45X10	10,000	0.77
MI2.51214581	M2.5-0.45X12	10,000	0.90
MI2.51614581	M2.5-0.45X16	10,000	1.15
MI3514581	M3-0.5X5	10,000	0.66
MI3614581	M3-0.5X6	10,000	0.76
MI3814581	M3-0.5X8	10,000	0.95
MI31014581	M3-0.5X10	10,000	1.12
MI31214581	M3-0.5X12	10,000	1.33
MI31614581	M3-0.5X16	10,000	1.66
MI32014581	M3-0.5X20	10,000	3.00
MI32514581	M3-0.5X25	10,000	2.50
MI33014581	M3-0.5X30	10,000	3.00
MI4614581	M4-0.7X6	10,000	1.83
MI4814581	M4-0.7X8	10,000	2.13
MI41014581	M4-0.7X10	10,000	2.50
MI41214581	M4-0.7X12	10,000	2.70
MI41614581	M4-0.7X16	10,000	3.40
MI42014581	M4-0.7X20	10,000	4.06
MI42514581	M4-0.7X25	5,000	4.90
MI43014581	M4-0.7X30	5,000	5.67
MI43514581	M4-0.7X35	5,000	6.52
MI44014581	M4-0.7X40	5,000	7.23
MI5814581	M5-0.8X8	10,000	3.00
MI51014581	M5-0.8X10	10,000	3.54
MI51214581	M5-0.8X12	5,000	4.03
MI51614581	M5-0.8X16	5,000	5.06
MI52014581	M5-0.8X20	5,000	6.25
MI52214581	M5-0.8X22	5,000	6.50
MI52514581	M5-0.8X25	5,000	7.44
MI53014581	M5-0.8X30	2,500	8.82
MI53514581	M5-0.8X35	2,500	10.07
MI54014581	M5-0.8X40	2,500	11.36
MI6814581	M6-1.0X8	5,000	4.70
MI61014581	M6-1.0X10	5,000	5.50
MI61214581	M6-1.0X12	5,000	6.14
MI61614581	M6-1.0X16	5,000	7.65
MI62014581	M6-1.0X20	5,000	9.13
MI62514581	M6-1.0X25	2,500	11.03
MI63014581	M6-1.0X30	2,500	12.92
MI63514581	M6-1.0X35	2,500	14.80
MI64014581	M6-1.0X40	2,500	16.60
MI64514581	M6-1.0X45	2,000	18.50
MI65014581	M6-1.0X50	2,000	20.37

18-8 Stainless Steel



ISO 14581 Flat 6-Lobe Machine Screws

18-8 Stainless Steel
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M
M24MTF188	M2-0.4X4	5,000	0.21
M25MTF188	M2-0.4X5	5,000	0.26
M26MTF188	M2-0.4X6	5,000	0.30
M28MTF188	M2-0.4X8	5,000	0.38
M210MTF188	M2-0.4X10	5,000	0.45
M212MTF188	M2-0.4X12	5,000	0.55
M216MTF188	M2-0.4X16	5,000	0.67
M2.54MTF188	M2.5-0.45X4	5,000	0.39
M2.55MTF188	M2.5-0.45X5	5,000	0.44
M2.56MTF188	M2.5-0.45X6	5,000	0.49
M2.58MTF188	M2.5-0.45X8	5,000	0.60
M2.510MTF188	M2.5-0.45X10	5,000	0.75
M2.512MTF188	M2.5-0.45X12	5,000	0.90
M2.516MTF188	M2.5-0.45X16	5,000	1.13
M2.520MTF188	M2.5-0.45X20	5,000	1.30
M35MTF188	M3-0.5X5	5,000	0.64
M36MTF188	M3-0.5X6	5,000	0.80
M38MTF188	M3-0.5X8	5,000	0.91
M310MTF188	M3-0.5X10	5,000	2.30
M312MTF188	M3-0.5X12	5,000	1.30
M316MTF188	M3-0.5X16	5,000	2.00
M320MTF188	M3-0.5X20	5,000	2.03
M325MTF188	M3-0.5X25	5,000	2.47
M330MTF188	M3-0.5X30	5,000	2.88
M46MTF188	M4-0.7X6	5,000	2.01
M48MTF188	M4-0.7X8	5,000	2.26
M410MTF188	M4-0.7X10	5,000	2.58
M412MTF188	M4-0.7X12	5,000	2.87
M416MTF188	M4-0.7X16	5,000	3.54
M420MTF188	M4-0.7X20	5,000	4.18
M425MTF188	M4-0.7X25	2,500	4.75
M430MTF188	M4-0.7X30	2,500	5.70
M435MTF188	M4-0.7X35	2,500	6.50
M440MTF188	M4-0.7X40	2,500	7.30
M58MTF188	M5-0.8X8	5,000	3.31
M510MTF188	M5-0.8X10	5,000	3.81
M512MTF188	M5-0.8X12	2,500	4.13
M516MTF188	M5-0.8X16	2,500	5.09
M520MTF188	M5-0.8X20	2,500	6.00
M525MTF188	M5-0.8X25	2,500	7.26
M530MTF188	M5-0.8X30	1,250	8.75
M535MTF188	M5-0.8X35	1,250	10.00
M540MTF188	M5-0.8X40	1,250	11.23
M545MTF188	M5-0.8X45	1,250	12.58
M550MTF188	M5-0.8X50	1,250	13.88
M610MTF188	M6-1.0X10	2,500	5.85
M612MTF188	M6-1.0X12	2,500	6.25
M616MTF188	M6-1.0X16	2,500	7.67
M620MTF188	M6-1.0X20	2,500	9.17
M625MTF188	M6-1.0X25	1,250	10.88
M630MTF188	M6-1.0X30	1,250	12.83
M635MTF188	M6-1.0X35	1,250	14.67
M640MTF188	M6-1.0X40	1,250	16.63
M645MTF188	M6-1.0X45	1,250	19.00
M650MTF188	M6-1.0X50	1,000	20.90
M660MTF188	M6-1.0X60	1,000	24.50
M812MTF188	M8-1.25X12	250	12.83
M816MTF188	M8-1.25X16	250	15.47
M820MTF188	M8-1.25X20	250	18.50
M825MTF188	M8-1.25X25	250	21.97
M830MTF188	M8-1.25X30	250	25.50
M835MTF188	M8-1.25X35	250	28.70
M840MTF188	M8-1.25X40	250	32.15

Steel RoHS Zinc



Free Manufacturer's Certifications Available

ISO 14583 Pan Six-Lobe Machine Screws

Class 8.8 Steel, Heat Treated Steel RoHS Zinc
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M
MI2314583	M2-0.4X3	10,000	0.33
MI2414583	M2-0.4X4	10,000	0.37
MI2514583	M2-0.4X5	10,000	0.43
MI2614583	M2-0.4X6	10,000	0.44
MI2814583	M2-0.4X8	10,000	0.54
MI21014583	M2-0.4X10	10,000	0.58
MI2.5314583	M2.5-0.45X3	10,000	0.68
MI2.5414583	M2.5-0.45X4	10,000	0.74
MI2.5514583	M2.5-0.45X5	10,000	0.82
MI2.5614583	M2.5-0.45X6	10,000	0.85
MI2.5814583	M2.5-0.45X8	10,000	0.98
MI2.51014583	M2.5-0.45X10	10,000	1.10
MI2.51214583	M2.5-0.45X12	10,000	1.23
MI3514583	M3-0.5X5	10,000	1.14
MI3614583	M3-0.5X6	10,000	1.36
MI3814583	M3-0.5X8	10,000	1.39
MI31014583	M3-0.5X10	10,000	1.58
MI31214583	M3-0.5X12	10,000	1.80
MI31614583	M3-0.5X16	10,000	2.20
MI32014583	M3-0.5X20	10,000	2.49
MI32514583	M3-0.5X25	10,000	3.01
MI33014583	M3-0.5X30	10,000	3.47
MI4614583	M4-0.7X6	10,000	2.74
MI4814583	M4-0.7X8	10,000	3.03
MI41014583	M4-0.7X10	10,000	3.36
MI41214583	M4-0.7X12	10,000	3.70
MI41614583	M4-0.7X16	5,000	4.40
MI42014583	M4-0.7X20	5,000	4.95
MI42514583	M4-0.7X25	5,000	5.76
MI43014583	M4-0.7X30	5,000	6.75
MI5614583	M5-0.8X6	5,000	4.69
MI5814583	M5-0.8X8	5,000	5.27
MI51014583	M5-0.8X10	5,000	5.82
MI51214583	M5-0.8X12	5,000	6.38
MI51614583	M5-0.8X16	5,000	7.42
MI52014583	M5-0.8X20	2,500	8.43
MI52514583	M5-0.8X25	2,500	9.73
MI53014583	M5-0.8X30	2,500	11.15
MI53514583	M5-0.8X35	2,500	12.36
MI54014583	M5-0.8X40	2,500	13.60
MI6814583	M6-1.0X8	2,500	9.18
MI61014583	M6-1.0X10	2,500	9.88
MI61214583	M6-1.0X12	2,500	10.65
MI61614583	M6-1.0X16	2,500	12.05
MI62014583	M6-1.0X20	2,500	13.60
MI62514583	M6-1.0X25	2,000	15.40
MI63014583	M6-1.0X30	2,000	17.33

NEW!

A2 Stainless Steel



ISO 14583 Pan Six-Lobe Machine Screws

A2 Stainless Steel
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M
MI23MTPA2	M2-0.4X3	10,000	0.33
MI24MTPA2	M2-0.4X4	10,000	0.37
MI25MTPA2	M2-0.4X5	10,000	0.40
MI26MTPA2	M2-0.4X6	10,000	0.43
MI28MTPA2	M2-0.4X8	10,000	0.53
MI210MTPA2	M2-0.4X10	10,000	0.59
MI2.53MTPA2	M2.5-0.45X3	10,000	0.68
MI2.54MTPA2	M2.5-0.45X4	10,000	0.70
MI2.55MTPA2	M2.5-0.45X5	10,000	0.80
MI2.56MTPA2	M2.5-0.45X6	10,000	0.85
MI2.58MTPA2	M2.5-0.45X8	10,000	1.00
MI2.510MTPA2	M2.5-0.45X10	10,000	1.10
MI2.512MTPA2	M2.5-0.45X12	10,000	1.20
MI35MTPA2	M3-0.5X5	10,000	1.10
MI36MTPA2	M3-0.5X6	10,000	1.20
MI38MTPA2	M3-0.5X8	10,000	1.38
MI310MTPA2	M3-0.5X10	10,000	1.56
MI312MTPA2	M3-0.5X12	9,000	1.74
MI316MTPA2	M3-0.5X16	8,000	2.20
MI320MTPA2	M3-0.5X20	6,000	2.40
MI325MTPA2	M3-0.5X25	5,500	2.95
MI330MTPA2	M3-0.5X30	5,000	3.42
MI46MTPA2	M4-0.7X6	6,000	2.88
MI48MTPA2	M4-0.7X8	6,000	3.27
MI410MTPA2	M4-0.7X10	5,000	3.52
MI412MTPA2	M4-0.7X12	5,000	3.83
MI416MTPA2	M4-0.7X16	5,000	4.48
MI420MTPA2	M4-0.7X20	4,000	5.15
MI425MTPA2	M4-0.7X25	3,500	6.05
MI430MTPA2	M4-0.7X30	3,000	6.83
MI56MTPA2	M5-0.8X6	4,000	4.58
MI58MTPA2	M5-0.8X8	4,000	5.12
MI510MTPA2	M5-0.8X10	3,500	5.68
MI512MTPA2	M5-0.8X12	3,000	6.23
MI516MTPA2	M5-0.8X16	3,000	7.23
MI520MTPA2	M5-0.8X20	2,500	8.23
MI525MTPA2	M5-0.8X25	2,000	9.53
MI530MTPA2	M5-0.8X30	2,000	10.85
MI535MTPA2	M5-0.8X35	1,500	12.15
MI540MTPA2	M5-0.8X40	1,500	13.53
MI68MTPA2	M6-1.0X8	2,000	9.10
MI610MTPA2	M6-1.0X10	1,500	9.80
MI612MTPA2	M6-1.0X12	1,500	10.60
MI616MTPA2	M6-1.0X16	1,500	12.00
MI620MTPA2	M6-1.0X20	1,500	14.10
MI625MTPA2	M6-1.0X25	1,250	15.40
MI630MTPA2	M6-1.0X30	1,000	17.30

ISO 14581 & ISO 14583 Machine Screws:

Available in Class 8.8 Steel and Class A2 Stainless.

ABE Above Board Electronics, Inc.

Request Info

1-800-453-1692
www.aboveboardelectronics.com

Steel Zinc

METRIC



M3 & M4 diameters also meet requirements of SN 213307 Cheese Heads

JIS-B1111 Pan Phillips Machine Screws

Class 4.8 Steel
Manufactured to JIS-B1111 Specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M
MJ33MPP	M3X3	6,000	0.80
MJ34MPP	M3X4	6,000	0.88
MJ35MPP	M3X5	6,000	0.93
MJ36MPP	M3X6	5,000	0.98
MJ38MPP	M3X8	4,400	1.29
MJ310MPP	M3X10	4,000	1.42
MJ312MPP	M3X12	4,000	1.62
MJ316MPP	M3X16	4,000	2.00
MJ318MPP	M3X18	3,200	2.08
MJ320MPP	M3X20	3,000	2.40
MJ46MPP	M4X6	4,400	2.18
MJ48MPP	M4X8	4,000	2.33
MJ410MPP	M4X10	3,200	2.68
MJ412MPP	M4X12	3,000	3.14
MJ416MPP	M4X16	3,000	3.70
MJ420MPP	M4X20	2,700	4.25
MJ425MPP	M4X25	2,100	5.25
MJ430MPP	M4X30	1,800	5.80
MJ435MPP	M4X35	1,500	6.75
MJ440MPP	M4X40	1,200	7.60
MJ56MPP	M5X6	2,000	3.70
MJ58MPP	M5X8	2,000	4.55
MJ510MPP	M5X10	1,800	5.05
MJ512MPP	M5X12	1,800	5.60
MJ516MPP	M5X16	1,400	6.50
MJ520MPP	M5X20	1,000	7.70
MJ525MPP	M5X25	1,000	8.90
MJ530MPP	M5X30	1,000	10.20
MJ535MPP	M5X35	1,000	11.55
MJ540MPP	M5X40	800	12.75
MJ550MPP	M5X50	600	15.65
MJ68MPP	M6X8	1,200	7.05
MJ610MPP	M6X10	1,200	7.45
MJ612MPP	M6X12	1,200	8.25
MJ616MPP	M6X16	1,000	9.65
MJ620MPP	M6X20	1,000	11.13
MJ625MPP	M6X25	1,000	13.15
MJ630MPP	M6X30	1,000	14.85
MJ635MPP	M6X35	900	16.95
MJ640MPP	M6X40	900	18.75
MJ645MPP	M6X45	750	20.80
MJ650MPP	M6X50	600	22.60
MJ655MPP	M6X55	600	24.25
MJ660MPP	M6X60	540	25.90

A2 Stainless Steel

NEW!

METRIC



JIS-B1111 Pan Phillips Machine Screws

A2 Stainless Steel
Manufactured to JIS-B1111 Specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M
MJ33MPPA2	M3-0.5X3	10,000	0.80
MJ34MPPA2	M3-0.5X4	10,000	0.87
MJ35MPPA2	M3-0.5X5	10,000	0.97
MJ36MPPA2	M3-0.5X6	10,000	1.20
MJ38MPPA2	M3-0.5X8	10,000	1.23
MJ310MPPA2	M3-0.5X10	10,000	1.40
MJ312MPPA2	M3-0.5X12	10,000	1.61
MJ316MPPA2	M3-0.5X16	8,000	2.00
MJ46MPPA2	M4-0.7X6	9,000	2.00
MJ48MPPA2	M4-0.7X8	8,000	2.30
MJ410MPPA2	M4-0.7X10	7,000	2.60
MJ412MPPA2	M4-0.7X12	7,000	3.10
MJ416MPPA2	M4-0.7X16	5,000	3.70
MJ420MPPA2	M4-0.7X20	4,000	4.30
MJ425MPPA2	M4-0.7X25	4,000	5.10
MJ610MPPA2	M6-1.0X10	2,000	7.63
MJ612MPPA2	M6-1.0X12	2,000	8.25
MJ616MPPA2	M6-1.0X16	2,000	9.90
MJ620MPPA2	M6-1.0X20	2,000	11.37
MJ625MPPA2	M6-1.0X25	2,000	13.38
MJ630MPPA2	M6-1.0X30	1,500	15.20
MJ635MPPA2	M6-1.0X35	1,500	17.13
MJ640MPPA2	M6-1.0X40	1,500	19.00

A2 Stainless Steel

NEW!

METRIC

JIS-B1111 Truss Phillips Machine Screws

A2 Stainless Steel
Manufactured to JIS-B1111 Specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M
MJ25MPTA2	M2-0.4X5	10,000	0.38
MJ26MPTA2	M2-0.4X6	10,000	0.42
MJ28MPTA2	M2-0.4X8	10,000	0.47
MJ2.55MPTA2	M2.5-0.45X5	10,000	0.68
MJ2.56MPTA2	M2.5-0.45X6	10,000	0.76
MJ2.58MPTA2	M2.5-0.45X8	10,000	1.40
MJ2.510MPTA2	M2.5-0.45X10	5,000	1.67
MJ2.512MPTA2	M2.5-0.45X12	5,000	1.80
MJ34MPTA2	M3-0.5X4	5,000	1.10
MJ35MPTA2	M3-0.5X5	5,000	1.12
MJ36MPTA2	M3-0.5X6	5,000	1.22
MJ38MPTA2	M3-0.5X8	5,000	1.40
MJ310MPTA2	M3-0.5X10	5,000	1.67
MJ312MPTA2	M3-0.5X12	5,000	1.80
MJ316MPTA2	M3-0.5X16	5,000	2.25
MJ320MPTA2	M3-0.5X20	5,000	2.35
MJ325MPTA2	M3-0.5X25	5,000	2.45
MJ45MPTA2	M4-0.7X5	2,500	2.61
MJ46MPTA2	M4-0.7X6	2,500	2.85
MJ48MPTA2	M4-0.7X8	2,500	3.00
MJ410MPTA2	M4-0.7X10	2,500	3.44
MJ412MPTA2	M4-0.7X12	2,500	3.55
MJ414MPTA2	M4-0.7X14	2,500	3.33
MJ416MPTA2	M4-0.7X16	2,500	3.90
MJ420MPTA2	M4-0.7X20	2,500	4.90
MJ425MPTA2	M4-0.7X25	2,500	5.70
MJ430MPTA2	M4-0.7X30	2,500	6.60
MJ58MPTA2	M5-0.8X8	2,500	5.30
MJ510MPTA2	M5-0.8X10	2,500	5.75
MJ512MPTA2	M5-0.8X12	2,500	6.30
MJ514MPTA2	M5-0.8X14	2,500	7.00
MJ516MPTA2	M5-0.8X16	2,500	7.75
MJ518MPTA2	M5-0.8X18	2,500	8.00
MJ520MPTA2	M5-0.8X20	2,000	8.30
MJ525MPTA2	M5-0.8X25	2,000	9.80
MJ610MPTA2	M6-1.0X10	1,000	9.75
MJ612MPTA2	M6-1.0X12	1,000	8.51
MJ616MPTA2	M6-1.0X16	1,000	11.55
MJ620MPTA2	M6-1.0X20	1,000	13.45
MJ625MPTA2	M6-1.0X25	1,000	15.55
MJ630MPTA2	M6-1.0X30	1,000	17.45

NEW!

Metric Truss Head Machine Screws to JIS-B 1111