


Steel Zinc Plated




## FLAT SIX-LOBE EJOT® PT®-ALTERNATIVE THREAD FORMING SCREWS

Thread Forming Screw for Thermoplastics / 30° Thread Flank  
Diams M3 & smaller: Case-hardened / Diams M3.5 & larger: Thru-hardened  
Steel Zinc Plated / Baked after Plating

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M2.28PTTF	M2.2-.98X8	5,000	0.39	M38PTTF	M3-1.34X8	5,000	0.73
M2.210PTTF	M2.2-.98X10	5,000	0.46	M310PTTF	M3-1.34X10	5,000	0.86
				M312PTTF	M3-1.34X12	5,000	1.00
M2.56PTTF	M2.5-1.12X6	5,000	0.46	M316PTTF	M3-1.34X16	5,000	1.20
M2.57PTTF	M2.5-1.12X7	5,000	0.50				
M2.58PTTF	M2.5-1.12X8	5,000	0.53	M3.510PTTF	M3.5-1.57X10	5,000	1.39
M2.510PTTF	M2.5-1.12X10	5,000	0.62	M3.512PTTF	M3.5-1.57X12	5,000	1.50
M2.512PTTF	M2.5-1.12X12	5,000	0.72	M3.516PTTF	M3.5-1.57X16	5,000	1.83

Steel Zinc Plated




## PAN SIX-LOBE EJOT® PT®-ALTERNATIVE THREAD FORMING SCREWS

Thread Forming Screw for Thermoplastics / 30° Thread Flank  
Diams M3 & smaller: Case-hardened / Diams M3.5 & larger: Thru-hardened  
Steel Zinc Plated / Baked after Plating

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M2.218PTTP	M2.2-.98X18	5,000	0.89	M3.58PTTP	M3.5-1.57X8	5,000	1.50
M2.212PTTP	M2.2-.98X12	5,000	0.67	M3.510PTTP	M3.5-1.57X10	5,000	1.69
				M3.512PTTP	M3.5-1.57X12	5,000	1.94
M35PTTP	M3-1.34X5	5,000	0.89	M3.514PTTP	M3.5-1.57X14	5,000	2.07
M36PTTP	M3-1.34X6	5,000	1.00	M3.516PTTP	M3.5-1.57X16	5,000	2.25
M37PTTP	M3-1.34X7	5,000	1.06	M3.518PTTP	M3.5-1.57X18	5,000	2.38
M38PTTP	M3-1.34X8	5,000	1.06	M3.520PTTP	M3.5-1.57X20	5,000	2.57
M310PTTP	M3-1.34X10	5,000	1.17	M3.525PTTP	M3.5-1.57X25	5,000	2.92
M312PTTP	M3-1.34X12	5,000	1.33	M3.530PTTP	M3.5-1.57X30	5,000	3.38
M314PTTP	M3-1.34X14	5,000	1.40				
M316PTTP	M3-1.34X16	5,000	1.82	M48PTTP	M4-1.79X8	5,000	2.18
M320PTTP	M3-1.34X20	5,000	1.83	M410PTTP	M4-1.79X10	5,000	2.43
				M412PTTP	M4-1.79X12	5,000	2.56
				M414PTTP	M4-1.79X14	5,000	2.93
				M416PTTP	M4-1.79X16	5,000	3.14
				M418PTTP	M4-1.79X18	5,000	3.42
				M420PTTP	M4-1.79X20	5,000	3.57
				M425PTTP	M4-1.79X25	5,000	4.13
				M430PTTP	M4-1.79X30	5,000	4.67
				M440PTTP	M4-1.79X40	5,000	5.70

A2 Stainless Steel




## DIN 439 B HEX JAM NUTS

Property Class A2 50 Stainless Steel  
Proof Load: 72,500 psi.

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M2D439BA2	M2-0.4	10,000	0.17	M8D439BA2	M8-1.25	4,000	6.25
M2.5D439BA2	M2.5-0.45	10,000	0.39	M10D439BA2	M10-1.5	2,000	13.75
M3D439BA2	M3-0.5	10,000	0.50	M12D439BA2	M12-1.75	1,500	19.75
M3.5D439BA2	M3.5-0.6	10,000	0.60	M16D439BA2	M16-2.0	600	39.83
M4D439BA2	M4-0.7	10,000	1.00	M18D439BA2	M18-2.5	350	55.50
M5D439BA2	M5-0.8	10,000	1.50	M20D439BA2	M20-2.5	350	74.25
M6D439BA2	M6-1.0	9,000	2.95	M24D439BA2	M24-3.0	100	143.00

Steel Zinc Plated




## DIN 439 B HEX JAM NUTS

Property Class 04 Steel  
Proof Load: 380 N/mm<sup>2</sup>  
Coarse and Fine Thread

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M3.5D439B	M3-5-6	10,000	0.83	M10D439B	M10-1.5	1,000	5.20
M3D439B	M3-5	10,000	0.50	M10FD439B	M10-1.25	1,000	16.20
M4D439B	M4-7	10,000	1.10	M12D439B	M12-1.75	500	19.83
M5D439B	M5-8	8,000	1.50	M12FD439B	M12-1.5	500	26.00
M6D439B	M6-1	5,000	3.00	M14D439B	M14-2.00	300	30.90
M8D439B	M8-1.25	2,500	6.10	M16D439B	M16-2	250	39.00
M8FD439B	M8-1	2,500	6.75				

Steel Zinc Plated



Free Manufacturer's  
Certifications Available  
for Class 8 Nuts

## DIN 934 HEX NUTS CLASS 6 AND 8, STYLE 1

Class 6 (M2 thru M3 diameter) - Class 8 (M4 thru M8 diameter)  
Steel (Class 8 contains some Manganese and has a higher carbon content than Class 6 Nuts)

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M2D934-6	M2-0.4	15,000	0.28	M4D934-8	M4-0.7	12,000	1.53
M2.5D934-6	M2.5-0.45	15,000	0.50	M5D934-8	M5-0.8	9,000	2.29
M3D934-6	M3-0.5	15,000	0.71	M6D934-8	M6-1.00	5,000	4.65
M5D934-6	M5-0.8	9,000	2.21	M8D934-8	M8-1.25	2,550	10.19
M6D934-6	M6-1.00	5,000	4.81	M10D934-8	M10-1.50	1,000	22.50
				M12D934-8	M12-1.75	500	33.83
				M16D934-8	M16-2.00	250	63.75
				M20D934-8	M20-2.50	200	115.75

Now available in A2 Stainless—

## DIN 439 B Hex Jam Nuts



Steel Zinc Plated

METRIC



Free Manufacturer's  
Certifications Available

## DIN 934 HEX NUTS CLASS 10, STYLE 1

Heat Treated Steel, Quenched and Tempered  
Hardness: Rockwell C26-36  
Coarse Thread

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M5D934-10	M5-0.80	4,500	2.30	M12D934-10	M12-1.75	500	33.50
M6D934-10	M6-1.00	3,000	4.70	M14D934-10	M14-2.00	100	54.00
M8D934-10	M8-1.25	2,000	10.20	M16D934-10	M16-2.00	300	73.40
M10D934-10	M10-1.50	1,000	22.38	M24D934-10	M24-3.00	100	242.00

Steel Plain Finish

METRIC



Free Manufacturer's  
Certifications Available

## DIN 934 HEX NUTS CLASS 10, STYLE 1

Heat Treated Steel, Quenched and Tempered  
Hardness: Rockwell C26-36  
Coarse Thread

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M6D934-10P	M6-1.00	3,000	4.65	M16D934-10P	M16-2.00	300	73.40
M8D934-10P	M8-1.25	2,000	10.17	M20D934-10P	M20-2.50	200	141.00
M10D934-10P	M10-1.50	1,000	22.70				

18-8 Stainless Steel

METRIC



## DIN 934 HEX NUTS CLASS 50

Property Class 50

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M2D934188	M2-0.4	10,000	0.25	M8D934188	M8-1.25	3,000	10.40
M2.5D934188	M2.5-0.45	10,000	0.48	M10D934188	M10-1.5	1,500	22.83
M3D934188	M3-0.5	15,000	0.72	M12D934188	M12-1.75	1,000	33.00
M3.5D934188	M3.5-0.6	10,000	0.75	M16D934188	M16-2.0	500	66.00
M4D934188	M4-0.7	12,000	1.54	M18D934188	M18-2.5	300	92.00
M5D934188	M5-0.8	9,000	2.27	M20D934188	M20-2.5	250	122.25
M6D934188	M6-1.00	5,000	4.64	M24D934188	M24-3.0	125	206.50

Black Oxide over  
18-8 Stainless Steel

METRIC



## DIN 934 HEX NUTS CLASS 50

Property Class 50

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M3D934188B	M3-0.5	5,000	0.93	M5D934188B	M5-0.8	2,000	2.22
M4D934188B	M4-0.7	3,000	1.50	M6D934188B	M6-1.00	2,000	4.65

18-8 Stainless Steel

NEW!

METRIC



## DIN 985 NYLON INSERT STOP NUTS

Property Class 70 Stainless Steel  
Proof Load: 101,500 psi.  
Coarse Thread

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M2.5D985188	M2.5-0.45	5,000	0.71	M10D985188	M10-1.50	750	22.33
M3D985188	M3-0.50	5,000	0.89	M12D985188	M12-1.75	500	31.83
M4D985188	M4-0.70	5,000	1.90	M14D985188	M14-2.00	300	51.75
M5D985188	M5-0.80	5,000	2.27	M16D985188	M16-2.00	250	63.75
M6D985188	M6-1.0	4,000	4.38	M20D985188	M20-2.50	100	127.50
M8D985188	M8-1.25	1,500	10.13	M24D985188	M24-3.0	50	222.50

A4 Stainless Steel

NEW!

METRIC



## DIN 985 NYLON INSERT STOP NUTS

Property A4 Class 50 Stainless Steel  
Coarse Thread

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M4D985A4	M4-0.70	5,000	2.11	M12D985A4	M12-1.75	250	33.33
M5D985A4	M5-0.80	5,000	2.29	M16D985A4	M16-2.00	200	64.30
M6D985A4	M6-1.0	2,500	4.50	M20D985A4	M20-2.50	50	130.25
M8D985A4	M8-1.25	1,000	10.50	M24D985A4	M24-3.0	25	229.50
M10D985A4	M10-1.50	500	23.83				

Steel Zinc Plated

METRIC



## DIN 985 NYLON INSERT STOP NUTS

Property Class 8 Steel  
Proof Load: 800 N/mm<sup>2</sup>  
Coarse Thread

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M3D985	M3-0.50	2,500	0.93	M12D985	M12-1.75	300	35.50
M4D985	M4-0.70	2,000	1.85	M14D985	M14-2.00	200	52.00
M5D985	M5-0.80	2,000	2.39	M16FD985	M16-1.50	150	67.00
M6D985	M6-1.00	1,500	5.00	M16D985	M16-2.00	150	68.00
M8D985	M8-1.25	1,000	10.80	M20FD985	M20-1.50	50	130.00
M10D985	M10-1.50	500	23.88	M20D985	M20-2.50	50	132.75
M12FD985	M12-1.50	300	35.17				

Steel Black Oxide

NEW!

METRIC




## DIN 985 NYLON INSERT STOP NUTS

Property Class 8 Steel  
Proof Load: 800 N/mm<sup>2</sup>  
Coarse Thread

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M3D985B	M3-0.50	2,500	0.95	M10D985B	M10-1.5	500	24.50
M4D985B	M4-0.70	2,000	1.90	M12D985B	M12-1.75	300	33.25
M5D985B	M5-0.8	2,000	2.20	M14D985B	M14-2.00	200	51.80
M6D985B	M6-1.00	1,500	4.80	M16D985B	M16-2.00	150	68.50
M8D985B	M8-1.25	1,000	10.30				



A2 Stainless Steel




### EXTERNAL LOCKWASHER "K" LOCK NUTS

Pre-Assembled External Tooth and Nut  
A2 Stainless Steel

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M3NKA2	M3-0.5	3,000	0.90	M5NKA2	M5-0.8	2,000	2.70
M4NKA2	M4-0.7	2,500	2.00	M6NKA2	M6-1.0	1,000	5.70

Steel\* Zinc Plated




### EXTERNAL LOCKWASHER "K" LOCK NUTS

Pre-Assembled External Tooth and Nut  
Nut: \*Class 8 Steel  
Washer: \*Spring Steel

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M3NK	M3X0.5	5,000	0.90	M6NK	M6X1.0	2,000	5.70
M4NK	M4X0.7	5,000	2.00	M8NK	M8X1.25	1,500	11.40
M5NK	M5X0.8	3,000	2.70				

Steel Zinc Plated



### CAGE NUTS

Free floating Square Nut retained within a Spring Steel Cage  
Square Nut: Low Carbon Steel  
Cage: Heat Treated Spring Steel Zinc Plated

Part #	Diameter & Panel Range	Ctn Qty	Wght Lbs/M	Part #	Diameter & Panel Range	Ctn Qty	Wght Lbs/M
M5-025NCAG	M5 025-063	1,000	11.10	M6-093NCAG	M6 093-126	1,000	10.60
M5-064NCAG	M5 064-105	1,000	11.20	M8-093NCAG	M8 093-126	600	10.20
M6-064NCAG	M6 064-105	1,000	10.70	M10-093NCAG	M10 093-126	600	22.00

A2 Stainless Steel




### DIN 6923 SERRATED HEX FLANGE NUTS CLASS 70

Property Class 70 / A2 Stainless Steel  
Tensile Strength: 101,500 psi.

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M3D6923RA2	M3-0.5	4,000	1.50	M8D6923RA2	M8-1.25	750	15.00
M4D6923RA2	M4-0.7	3,000	2.63	M10D6923RA2	M10-1.5	500	24.17
M5D6923RA2	M5-0.8	2,500	3.90	M12D6923RA2	M12-1.75	500	44.00
M6D6923RA2	M6-1.00	1,500	7.00				

Steel Zinc Plated




Free Manufacturer's  
Certifications Available

### DIN 6923 SERRATED HEX FLANGE NUTS CLASS 8

Property Class 8 Steel  
Hardness: Rockwell B91.5 - C30

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M3D6923S-8	M3-0.5	10,000	1.40	M10D6923S-8	M10-1.50	1,000	23.53
M4D6923S-8	M4-0.7	9,000	2.90	M12D6923S-8	M12-1.75	500	41.00
M5D6923S-8	M5-0.8	8,000	4.00	M16D6923S-8	M16-2.00	300	104.75
M6D6923S-8	M6-1.00	3,000	6.67	M20D6923S-8	M20-2.50	200	195.50
M8D6923S-8	M8-1.25	1,500	14.33				

18-8 Stainless Steel




### DIN6923 HEX FLANGE NUTS

18-8 Stainless Steel  
Non Serrated

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M3D6923188	M3-0.5	4,000	1.44	M6D6923188	M6-1.0	1,500	7.20
M4D6923188	M4-0.7	3,000	2.92	M8D6923188	M8-1.25	750	15.17
M5D6923188	M5-0.8	2,500	4.20	M10D6923188	M10-1.5	500	26.70

316 Stainless Steel




### DIN6923 HEX FLANGE NUTS

316 Stainless Steel  
Non Serrated

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M3D6923316	M3-0.5	4,000	1.42	M6D6923316	M6-1.0	1,500	7.50
M4D6923316	M4-0.7	3,000	2.90	M8D6923316	M8-1.25	750	15.63
M5D6923316	M5-0.8	2,500	4.00	M10D6923316	M10-1.5	500	27.25

RoHS Steel Zinc Plated



Free Manufacturer's  
Certifications Available

### DIN 6923 HEX FLANGE NUTS CLASS 8

Property Class 8 Steel  
Hardness: Rockwell B91.5 - C30

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M5D6923-8	M5-0.8	5,000	3.93	M10D6923-8	M10-1.5	1,000	24.70
M6D6923-8	M6-1	3,000	7.05	M12D6923-8	M12-1.75	500	43.70
M8D6923-8	M8-1.25	1,500	16.00				



RoHS Zinc Yellow Plated

METRIC



Free Manufacturer's  
Certifications Available

## DIN 6923 HEX FLANGE NUTS CLASS 8

Property Class 8 Steel  
Hardness: Rockwell B91.5 - C30

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M6D6923-8Y	M6-1	3,000	7.05	M10D6923-8Y	M10-1.5	1,000	24.70
M8D6923-8Y	M8-1.25	1,500	16.00	M12D6923-8Y	M12-1.75	500	43.70

RoHS Steel Zinc and Bake

METRIC



Free Manufacturer's  
Certifications Available


## DIN 6923 HEX FLANGE NUTS CLASS 10

Heat Treated Steel, Quenched and Tempered  
Hardness: Rockwell C26 - 36

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M5D6923-10	M5-0.8	5,000	4.00	M10D6923-10	M10-1.5	1,000	24.70
M6D6923-10	M6-1	3,000	7.05	M12D6923-10	M12-1.75	500	43.70
M8D6923-10	M8-1.25	1,500	16.00				

RoHS Zinc Yellow and Bake

METRIC



Free Manufacturer's  
Certifications Available

## DIN 6923 HEX FLANGE NUTS CLASS 10

Heat Treated Steel, Quenched and Tempered  
Hardness: Rockwell C26 - 36

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M6D6923-10Y	M6-1	3,000	7.05	M10D6923-10Y	M10-1.5	1,000	24.70
M8D6923-10Y	M8-1.25	1,500	16.00	M12D6923-10Y	M12-1.75	500	43.70

Steel Zinc

**NEW!**

METRIC



## DIN 6926 NYLON INSERT FLANGE NUTS ALSO EQUIVALENT TO ISO 7043

Property Class 8 Steel  
Coarse Thread / Steel Zinc Plate

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M5D6926-8	M5-0.8	2,500	4.71	M12D6926-8	M12-1.75	500	50.75
M6D6926-8	M6-1.0	2,000	9.67	M16D6926-8	M16-2.0	200	114.00
M8D6926-8	M8-1.25	1,500	18.50	M20D6926-8	M20-2.50	100	217.50
M10D6926-8	M10-1.5	750	30.00				

Black Phosphate & Oil

**NEW!**

METRIC



Free Manufacturer's  
Certifications Available


## DIN 6927 FLANGE TOP LOCK NUTS CLASS 10

Heat Treated Steel, Quenched and Tempered  
Hardness: Rockwell C26 - 36

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M6D6927-10PH	M6-1.0	2,500	8.38	M12D6927-10P	M12-1.75	600	45.25
M8D6927-10PH	M8-1.25	2,500	16.75	M16D6927-10P	M16-2.0	300	111.00
M10D6927-10P	M10-1.5	1,000	28.00				

Cadmium Plated and Waxed

METRIC



Free Manufacturer's  
Certifications Available

## DIN 980V, CLASS 10 ALL METAL LOCK NUTS

Prevailing Torque-Style Lock Nuts  
Quenched and Tempered

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M10125NO	M10X1.25	1,000	24.77	M20215NO	M20X2.50	200	136.60
M12150NO	M12X1.50	1,000	35.80				

Cadmium Plated and Waxed

METRIC



Free Manufacturer's  
Certifications Available

## PREVAILING TORQUE LOCK NUTS CLASS 10

Manufactured to ASME B18.16.3M Specifications  
Quenched and Tempered

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M6100NO	M6X1.00	5,000	5.30	M12175NO	M12X1.75	1,000	32.00
M8125NO	M8X1.25	3,000	10.52	M24300NO	M24X3.00	100	263.80
M10150NO	M10X1.50	1,000	19.10				

Now in A2 Stainless—

Metric K-Lock Nuts &

DIN 6923 Serrated Flange Nuts

