

NEW!

METRIC

Steel RoHS Zinc Plated



PAN SIX-LOBE THREAD ROLLING SCREWS

Generic Alternatives to Plastite® / Plas-Fix® 45 Thread Rolling Screws*
Case Hardened to Vickers HV 450 minimum
Fully Threaded

| Part # | Size | Ctn Qty | Wght Lbs/M | Part # | Size | Ctn Qty | Wght Lbs/M |
|------------|--------------|---------|------------|----------|------------|---------|------------|
| M2.56LTP4 | M2.5-1.4X6 | 10,000 | 0.47 | M46LTP4 | M4-1.75X6 | 9,000 | 1.88 |
| M2.58LTP4 | M2.5-1.4X8 | 10,000 | 0.58 | M48LTP4 | M4-1.75X8 | 9,000 | 2.11 |
| M2.510LTP4 | M2.5-1.4X10 | 10,000 | 0.66 | M410LTP4 | M4-1.75X10 | 8,000 | 2.36 |
| M36LTP4 | M3-1.5X6 | 10,000 | 0.81 | M412LTP4 | M4-1.75X12 | 7,000 | 2.59 |
| M38LTP4 | M3-1.5X8 | 10,000 | 0.95 | M416LTP4 | M4-1.75X16 | 6,000 | 3.09 |
| M310LTP4 | M3-1.5X10 | 10,000 | 1.09 | M420LTP4 | M4-1.75X20 | 6,000 | 3.59 |
| M312LTP4 | M3-1.5X12 | 10,000 | 1.22 | M425LTP4 | M4-1.75X25 | 5,000 | 4.14 |
| M316LTP4 | M3-1.5X16 | 9,000 | 1.49 | M510LTP4 | M5-2.3X10 | 6,000 | 3.60 |
| M320LTP4 | M3-1.5X20 | 8,000 | 1.77 | M512LTP4 | M5-2.3X12 | 5,000 | 3.98 |
| M3.56LTP4 | M3.5-1.65X6 | 10,000 | 1.24 | M516LTP4 | M5-2.3X16 | 5,000 | 4.80 |
| M3.58LTP4 | M3.5-1.65X8 | 10,000 | 1.45 | M520LTP4 | M5-2.3X20 | 4,000 | 5.58 |
| M3.510LTP4 | M3.5-1.65X10 | 10,000 | 1.64 | M525LTP4 | M5-2.3X25 | 4,000 | 6.48 |
| M3.512LTP4 | M3.5-1.65X12 | 9,000 | 1.83 | M530LTP4 | M5-2.3X30 | 3,500 | 7.43 |
| M3.516LTP4 | M3.5-1.65X16 | 7,000 | 2.16 | | | | |
| M3.520LTP4 | M3.5-1.65X20 | 6,000 | 2.50 | | | | |
| M3.525LTP4 | M3.5-1.65X25 | 6,000 | 2.94 | | | | |

NEW!

METRIC

Steel RoHS Zinc Plated



PAN POZI THREAD ROLLING SCREWS

Generic Alternatives to Plastite® / Plas-Fix® 45 Thread Rolling Screws*
Case Hardened to Vickers HV 450 minimum
Fully Threaded

| Part # | Size | Ctn Qty | Wght Lbs/M | Part # | Size | Ctn Qty | Wght Lbs/M |
|------------|--------------|---------|------------|----------|------------|---------|------------|
| M2.25LZP4 | M2.2-1.0X5 | 10,000 | 0.35 | M46LZP4 | M4-1.75X6 | 9,000 | 1.80 |
| M2.26LZP4 | M2.2-1.0X6 | 10,000 | 0.39 | M48LZP4 | M4-1.75X8 | 9,000 | 2.10 |
| M2.28LZP4 | M2.2-1.0X8 | 10,000 | 0.46 | M410LZP4 | M4-1.75X10 | 8,000 | 2.30 |
| M2.210LZP4 | M2.2-1.0X10 | 10,000 | 0.55 | M412LZP4 | M4-1.75X12 | 7,000 | 2.50 |
| M2.212LZP4 | M2.2-1.0X12 | 10,000 | 0.66 | M416LZP4 | M4-1.75X16 | 6,000 | 3.00 |
| M2.56LZP4 | M2.5-1.4X6 | 10,000 | 0.46 | M420LZP4 | M4-1.75X20 | 6,000 | 3.50 |
| M2.58LZP4 | M2.5-1.4X8 | 10,000 | 0.57 | M425LZP4 | M4-1.75X25 | 5,000 | 4.10 |
| M2.510LZP4 | M2.5-1.4X10 | 10,000 | 0.65 | M510LZP4 | M5-2.3X10 | 6,000 | 3.60 |
| M36LZP4 | M3-1.5X6 | 10,000 | 0.80 | M512LZP4 | M5-2.3X12 | 5,000 | 3.90 |
| M38LZP4 | M3-1.5X8 | 10,000 | 0.90 | M516LZP4 | M5-2.3X16 | 5,000 | 4.80 |
| M310LZP4 | M3-1.5X10 | 10,000 | 1.00 | M520LZP4 | M5-2.3X20 | 4,000 | 5.50 |
| M312LZP4 | M3-1.5X12 | 10,000 | 1.20 | M525LZP4 | M5-2.3X25 | 4,000 | 6.40 |
| M316LZP4 | M3-1.5X16 | 9,000 | 1.40 | M530LZP4 | M5-2.3X30 | 3,500 | 7.40 |
| M320LZP4 | M3-1.5X20 | 8,000 | 1.70 | M616LZP4 | M6-2.5X16 | 3,000 | 7.90 |
| M325LZP4 | M3-1.5X25 | 7,000 | 1.90 | M620LZP4 | M6-2.5X20 | 2,500 | 8.80 |
| M3.56LZP4 | M3.5-1.65X6 | 10,000 | 1.20 | M625LZP4 | M6-2.5X25 | 2,500 | 10.10 |
| M3.58LZP4 | M3.5-1.65X8 | 10,000 | 1.40 | | | | |
| M3.510LZP4 | M3.5-1.65X10 | 10,000 | 1.60 | | | | |
| M3.512LZP4 | M3.5-1.65X12 | 9,000 | 1.80 | | | | |
| M3.516LZP4 | M3.5-1.65X16 | 7,000 | 2.10 | | | | |
| M3.520LZP4 | M3.5-1.65X20 | 6,000 | 2.50 | | | | |
| M3.525LZP4 | M3.5-1.65X25 | 6,000 | 2.90 | | | | |

NEW!

METRIC

A2 Stainless Steel



FLAT PHILLIPS EJOT® PT®-ALTERNATIVE THREAD FORMING SCREWS

Thread Forming Screw for Thermoplastics / 30° Thread Flank
A2 Stainless Steel

| Part # | Size | Ctn Qty | Wght Lbs/M | Part # | Size | Ctn Qty | Wght Lbs/M |
|--------------|--------------|---------|------------|--------------|--------------|---------|------------|
| M2.26PTPFA2 | M2.2-98X6 | 6,000 | 0.26 | M3.58PTPFA2 | M3.5-1.57X8 | 5,000 | 1.36 |
| M2.28PTPFA2 | M2.2-98X8 | 6,000 | 0.30 | M3.59PTPFA2 | M3.5-1.57X9 | 5,000 | 1.45 |
| M2.210PTPFA2 | M2.2-98X10 | 6,000 | 0.41 | M3.510PTPFA2 | M3.5-1.57X10 | 4,500 | 1.50 |
| M2.212PTPFA2 | M2.2-98X12 | 6,000 | 0.50 | M3.512PTPFA2 | M3.5-1.57X12 | 4,500 | 1.50 |
| M2.216PTPFA2 | M2.2-98X16 | 5,000 | 0.60 | M3.514PTPFA2 | M3.5-1.57X14 | 4,000 | 1.90 |
| M2.56PTPFA2 | M2.5-1.12X6 | 6,000 | 0.43 | M3.516PTPFA2 | M3.5-1.57X16 | 3,500 | 2.00 |
| M2.57PTPFA2 | M2.5-1.12X7 | 6,000 | 0.48 | M3.518PTPFA2 | M3.5-1.57X18 | 3,500 | 2.00 |
| M2.58PTPFA2 | M2.5-1.12X8 | 6,000 | 0.50 | M3.520PTPFA2 | M3.5-1.57X20 | 3,000 | 2.10 |
| M2.510PTPFA2 | M2.5-1.12X10 | 6,000 | 0.60 | M3.525PTPFA2 | M3.5-1.57X25 | 2,500 | 2.50 |
| M2.512PTPFA2 | M2.5-1.12X12 | 5,000 | 0.69 | M48PTPFA2 | M4-1.79X8 | 4,000 | 1.87 |
| M2.516PTPFA2 | M2.5-1.12X16 | 5,000 | 0.87 | M410PTPFA2 | M4-1.79X10 | 4,000 | 2.11 |
| M2.520PTPFA2 | M2.5-1.12X20 | 3,500 | 0.96 | M412PTPFA2 | M4-1.79X12 | 3,500 | 2.33 |
| M38PTPFA2 | M3-1.34X8 | 6,000 | 0.70 | M414PTPFA2 | M4-1.79X14 | 3,000 | 2.40 |
| M310PTPFA2 | M3-1.34X10 | 6,000 | 0.92 | M416PTPFA2 | M4-1.79X16 | 3,000 | 2.60 |
| M312PTPFA2 | M3-1.34X12 | 6,000 | 1.00 | M418PTPFA2 | M4-1.79X18 | 3,000 | 2.80 |
| M314PTPFA2 | M3-1.34X14 | 5,000 | 1.10 | M420PTPFA2 | M4-1.79X20 | 2,500 | 3.21 |
| M316PTPFA2 | M3-1.34X16 | 5,000 | 1.25 | | | | |
| M318PTPFA2 | M3-1.34X18 | 4,500 | 1.35 | | | | |
| M320PTPFA2 | M3-1.34X20 | 4,500 | 1.50 | | | | |

NEW!

METRIC

A2 Stainless Steel



PAN PHILLIPS EJOT® PT®-ALTERNATIVE THREAD FORMING SCREWS

Thread Forming Screw for Thermoplastics / 30° Thread Flank
A2 Stainless Steel

| Part # | Size | Ctn Qty | Wght Lbs/M | Part # | Size | Ctn Qty | Wght Lbs/M |
|--------------|--------------|---------|------------|--------------|--------------|---------|------------|
| M2.245PTPPA | M2.2-98X4.5 | 6,000 | 0.36 | M3.57PTPPA2 | M3.5-1.57X7 | 5,000 | 1.40 |
| M2.25PTPPA2 | M2.2-98X5 | 6,000 | 0.37 | M3.58PTPPA2 | M3.5-1.57X8 | 5,000 | 1.50 |
| M2.26PTPPA2 | M2.2-98X6 | 6,000 | 0.40 | M3.510PTPPA2 | M3.5-1.57X10 | 4,500 | 1.50 |
| M2.28PTPPA2 | M2.2-98X8 | 6,000 | 0.50 | M3.512PTPPA2 | M3.5-1.57X12 | 4,000 | 1.60 |
| M2.210PTPPA2 | M2.2-98X10 | 6,000 | 0.56 | M3.514PTPPA2 | M3.5-1.57X14 | 4,000 | 1.98 |
| M2.212PTPPA2 | M2.2-98X12 | 5,500 | 0.65 | M3.516PTPPA2 | M3.5-1.57X16 | 3,500 | 2.10 |
| M2.214PTPPA2 | M2.2-98X14 | 5,500 | 0.76 | M3.518PTPPA2 | M3.5-1.57X18 | 3,500 | 2.20 |
| M2.216PTPPA2 | M2.2-98X16 | 5,500 | 0.84 | M3.520PTPPA2 | M3.5-1.57X20 | 3,000 | 2.50 |
| M2.55PTPPA2 | M2.5-1.12X5 | 6,000 | 0.50 | M3.525PTPPA2 | M3.5-1.57X25 | 2,500 | 2.90 |
| M2.56PTPPA2 | M2.5-1.12X6 | 6,000 | 0.55 | M3.530PTPPA2 | M3.5-1.57X30 | 2,500 | 3.30 |
| M2.58PTPPA2 | M2.5-1.12X8 | 6,000 | 0.60 | M3.535PTPPA2 | M3.5-1.57X35 | 2,000 | 3.80 |
| M2.510PTPPA2 | M2.5-1.12X10 | 6,000 | 0.75 | M48PTPPA2 | M4-1.79X8 | 4,000 | 2.00 |
| M2.512PTPPA2 | M2.5-1.12X12 | 5,500 | 0.80 | M410PTPPA2 | M4-1.79X10 | 4,000 | 2.30 |
| M2.514PTPPA2 | M2.5-1.12X14 | 5,000 | 1.00 | M412PTPPA2 | M4-1.79X12 | 3,500 | 2.50 |
| M2.516PTPPA2 | M2.5-1.12X16 | 5,000 | 0.88 | M414PTPPA2 | M4-1.79X14 | 3,000 | 2.70 |
| M2.518PTPPA2 | M2.5-1.12X18 | 4,500 | 1.00 | M416PTPPA2 | M4-1.79X16 | 3,000 | 2.90 |
| M2.520PTPPA2 | M2.5-1.12X20 | 4,000 | 1.10 | M418PTPPA2 | M4-1.79X18 | 3,000 | 3.10 |
| M36PTPPA2 | M3-1.34X6 | 6,000 | 0.80 | M420PTPPA2 | M4-1.79X20 | 2,500 | 3.40 |
| M38PTPPA2 | M3-1.34X8 | 6,000 | 0.90 | M425PTPPA2 | M4-1.79X25 | 2,000 | 3.90 |
| M310PTPPA2 | M3-1.34X10 | 6,000 | 1.00 | M430PTPPA2 | M4-1.79X30 | 2,000 | 4.50 |
| M312PTPPA2 | M3-1.34X12 | 5,000 | 1.10 | M435PTPPA2 | M4-1.79X35 | 1,500 | 5.00 |
| M314PTPPA2 | M3-1.34X14 | 5,000 | 1.30 | | | | |
| M316PTPPA2 | M3-1.34X16 | 4,500 | 1.40 | | | | |
| M318PTPPA2 | M3-1.34X18 | 4,500 | 1.60 | | | | |
| M320PTPPA2 | M3-1.34X20 | 4,000 | 1.70 | | | | |
| M325PTPPA2 | M3-1.34X25 | 3,500 | 2.00 | | | | |
| M330PTPPA2 | M3-1.34X30 | 3,000 | 2.30 | | | | |



NEW!

METRIC

A2 Stainless Steel



FLAT SIX-LOBE EJOT® PT®-ALTERNATIVE THREAD FORMING SCREWS

Thread Forming Screw for Thermoplastics / 30° Thread Flank
A2 Stainless Steel

| Part # | Size | Ctn Qty | Wght Lbs/M |
|--------------|--------------|---------|------------|
| M2.28PTTFA2 | M2.2-.98X8 | 6,000 | 0.38 |
| M2.210PTTFA2 | M2.2-.98X10 | 6,000 | 0.45 |
| M2.56PTTFA2 | M2.5-1.12X6 | 6,000 | 0.45 |
| M2.57PTTFA2 | M2.5-1.12X7 | 6,000 | 0.50 |
| M2.58PTTFA2 | M2.5-1.12X8 | 6,000 | 0.53 |
| M2.510PTTFA2 | M2.5-1.12X10 | 6,000 | 0.60 |
| M2.512PTTFA2 | M2.5-1.12X12 | 5,000 | 0.70 |

| Part # | Size | Ctn Qty | Wght Lbs/M |
|--------------|--------------|---------|------------|
| M38PTTFA2 | M3-1.34X8 | 6,000 | 0.70 |
| M310PTTFA2 | M3-1.34X10 | 6,000 | 0.80 |
| M312PTTFA2 | M3-1.34X12 | 6,000 | 1.00 |
| M316PTTFA2 | M3-1.34X16 | 5,000 | 1.20 |
| M3.510PTTFA2 | M3.5-1.57X10 | 4,500 | 1.30 |
| M3.512PTTFA2 | M3.5-1.57X12 | 4,500 | 1.60 |
| M3.516PTTFA2 | M3.5-1.57X16 | 3,500 | 1.80 |

METRIC

Steel Zinc Plated



FLAT PHILLIPS EJOT® PT®-ALTERNATIVE THREAD FORMING SCREWS

Thread Forming Screw for Thermoplastics / 30° Thread Flank
Diams M3 & smaller: Case-hardened / Diams M3.5 & larger: Thru-hardened
Steel Zinc Plated / Baked after Plating

| Part # | Size | Ctn Qty | Wght Lbs/M |
|------------|-------------|---------|------------|
| M2.26PTPF | M2.2-.98X6 | 5,000 | 0.27 |
| M2.28PTPF | M2.2-.98X8 | 5,000 | 0.33 |
| M2.210PTPF | M2.2-.98X10 | 5,000 | 0.42 |
| M2.212PTPF | M2.2-.98X12 | 5,000 | 0.50 |
| M2.216PTPF | M2.2-.98X16 | 5,000 | 0.67 |

| Part # | Size | Ctn Qty | Wght Lbs/M |
|------------|--------------|---------|------------|
| M3.58PTPF | M3.5-1.57X8 | 5,000 | 1.25 |
| M3.59PTPF | M3.5-1.57X9 | 5,000 | 1.32 |
| M3.510PTPF | M3.5-1.57X10 | 5,000 | 1.38 |
| M3.512PTPF | M3.5-1.57X12 | 5,000 | 1.58 |
| M3.514PTPF | M3.5-1.57X14 | 5,000 | 1.71 |
| M3.516PTPF | M3.5-1.57X16 | 5,000 | 1.86 |
| M3.518PTPF | M3.5-1.57X18 | 5,000 | 2.00 |
| M3.520PTPF | M3.5-1.57X20 | 5,000 | 2.13 |
| M3.525PTPF | M3.5-1.57X25 | 5,000 | 2.57 |

| Part # | Size | Ctn Qty | Wght Lbs/M |
|------------|--------------|---------|------------|
| M2.56PTPF | M2.5-1.12X6 | 5,000 | 0.44 |
| M2.57PTPF | M2.5-1.12X7 | 5,000 | 0.48 |
| M2.58PTPF | M2.5-1.12X8 | 5,000 | 0.50 |
| M2.510PTPF | M2.5-1.12X10 | 5,000 | 0.62 |
| M2.512PTPF | M2.5-1.12X12 | 5,000 | 0.69 |
| M2.516PTPF | M2.5-1.12X16 | 5,000 | 0.88 |
| M2.520PTPF | M2.5-1.12X20 | 5,000 | 0.97 |
| M38PTPF | M3-1.34X8 | 5,000 | 0.71 |
| M310PTPF | M3-1.34X10 | 5,000 | 0.93 |
| M312PTPF | M3-1.34X12 | 5,000 | 1.00 |
| M314PTPF | M3-1.34X14 | 5,000 | 1.11 |
| M316PTPF | M3-1.34X16 | 5,000 | 1.25 |
| M318PTPF | M3-1.34X18 | 5,000 | 1.35 |
| M320PTPF | M3-1.34X20 | 5,000 | 1.50 |

| Part # | Size | Ctn Qty | Wght Lbs/M |
|----------|------------|---------|------------|
| M48PTPF | M4-1.79X8 | 5,000 | 1.75 |
| M410PTPF | M4-1.79X10 | 5,000 | 2.00 |
| M412PTPF | M4-1.79X12 | 5,000 | 2.14 |
| M414PTPF | M4-1.79X14 | 5,000 | 2.40 |
| M416PTPF | M4-1.79X16 | 5,000 | 2.61 |
| M418PTPF | M4-1.79X18 | 5,000 | 2.80 |
| M420PTPF | M4-1.79X20 | 5,000 | 3.00 |

NEW!

METRIC

A2 Stainless Steel



PAN SIX-LOBE EJOT® PT®-ALTERNATIVE THREAD FORMING SCREWS

Thread Forming Screw for Thermoplastics / 30° Thread Flank
A2 Stainless Steel

| Part # | Size | Ctn Qty | Wght Lbs/M |
|--------------|-------------|---------|------------|
| M2.212PTTFA2 | M2.2-.98X12 | 5,500 | 0.60 |
| M2.218PTTFA2 | M2.2-.98X18 | 5,000 | 0.88 |
| M35PTTFA2 | M3-1.34X5 | 6,000 | 0.80 |
| M36PTTFA2 | M3-1.34X6 | 6,000 | 1.00 |
| M37PTTFA2 | M3-1.34X7 | 6,000 | 1.00 |
| M38PTTFA2 | M3-1.34X8 | 6,000 | 1.00 |
| M310PTTFA2 | M3-1.34X10 | 6,000 | 1.10 |
| M312PTTFA2 | M3-1.34X12 | 5,000 | 1.30 |
| M314PTTFA2 | M3-1.34X14 | 5,000 | 1.40 |
| M316PTTFA2 | M3-1.34X16 | 4,500 | 1.50 |
| M320PTTFA2 | M3-1.34X20 | 4,000 | 1.80 |

| Part # | Size | Ctn Qty | Wght Lbs/M |
|--------------|--------------|---------|------------|
| M3.58PTTFA2 | M3.5-1.57X8 | 5,000 | 1.50 |
| M3.510PTTFA2 | M3.5-1.57X10 | 4,500 | 1.60 |
| M3.512PTTFA2 | M3.5-1.57X12 | 4,000 | 1.90 |
| M3.514PTTFA2 | M3.5-1.57X14 | 4,000 | 2.00 |
| M3.516PTTFA2 | M3.5-1.57X16 | 3,500 | 2.20 |
| M3.518PTTFA2 | M3.5-1.57X18 | 3,500 | 2.30 |
| M3.520PTTFA2 | M3.5-1.57X20 | 3,000 | 2.50 |
| M3.525PTTFA2 | M3.5-1.57X25 | 2,500 | 2.90 |
| M3.530PTTFA2 | M3.5-1.57X30 | 2,500 | 3.30 |
| M48PTTFA2 | M4-1.79X8 | 4,000 | 2.10 |
| M410PTTFA2 | M4-1.79X10 | 4,000 | 2.40 |
| M412PTTFA2 | M4-1.79X12 | 3,500 | 2.50 |
| M414PTTFA2 | M4-1.79X14 | 3,000 | 2.90 |
| M416PTTFA2 | M4-1.79X16 | 3,000 | 3.10 |
| M418PTTFA2 | M4-1.79X18 | 3,000 | 3.40 |
| M420PTTFA2 | M4-1.79X20 | 2,500 | 3.50 |
| M425PTTFA2 | M4-1.79X25 | 2,000 | 4.10 |
| M430PTTFA2 | M4-1.79X30 | 2,000 | 4.60 |
| M440PTTFA2 | M4-1.79X40 | 1,500 | 5.70 |

METRIC

Steel Zinc Plated



PAN PHILLIPS EJOT® PT®-ALTERNATIVE THREAD FORMING SCREWS

Thread Forming Screw for Thermoplastics / 30° Thread Flank
Diams M3 & smaller: Case-hardened / Diams M3.5 & larger: Thru-hardened
Steel Zinc Plated / Baked after Plating

| Part # | Size | Ctn Qty | Wght Lbs/M |
|------------|--------------|---------|------------|
| M2.245PTPP | M2.2-.98X4.5 | 5,000 | 0.37 |
| M2.25PTPP | M2.2-.98X5 | 5,000 | 0.35 |
| M2.26PTPP | M2.2-.98X6 | 5,000 | 0.43 |
| M2.28PTPP | M2.2-.98X8 | 5,000 | 0.50 |
| M2.210PTPP | M2.2-.98X10 | 5,000 | 0.57 |
| M2.212PTPP | M2.2-.98X12 | 5,000 | 0.65 |
| M2.214PTPP | M2.2-.98X14 | 5,000 | 0.77 |
| M2.216PTPP | M2.2-.98X16 | 5,000 | 0.85 |

| Part # | Size | Ctn Qty | Wght Lbs/M |
|------------|--------------|---------|------------|
| M3.57PTPP | M3.5-1.57X7 | 5,000 | 1.25 |
| M3.58PTPP | M3.5-1.57X8 | 5,000 | 1.32 |
| M3.510PTPP | M3.5-1.57X10 | 5,000 | 1.50 |
| M3.512PTPP | M3.5-1.57X12 | 5,000 | 1.67 |
| M3.514PTPP | M3.5-1.57X14 | 5,000 | 1.88 |
| M3.516PTPP | M3.5-1.57X16 | 5,000 | 2.00 |
| M3.518PTPP | M3.5-1.57X18 | 5,000 | 2.20 |
| M3.520PTPP | M3.5-1.57X20 | 5,000 | 2.38 |
| M3.525PTPP | M3.5-1.57X25 | 5,000 | 2.75 |
| M3.530PTPP | M3.5-1.57X30 | 5,000 | 3.14 |
| M3.535PTPP | M3.5-1.57X35 | 5,000 | 3.50 |


| Part # | Size | Ctn Qty | Wght Lbs/M |
|------------|--------------|---------|------------|
| M2.55PTPP | M2.5-1.12X5 | 5,000 | 0.50 |
| M2.56PTPP | M2.5-1.12X6 | 5,000 | 0.56 |
| M2.58PTPP | M2.5-1.12X8 | 5,000 | 0.61 |
| M2.510PTPP | M2.5-1.12X10 | 5,000 | 0.75 |
| M2.512PTPP | M2.5-1.12X12 | 5,000 | 0.82 |
| M2.514PTPP | M2.5-1.12X14 | 5,000 | 1.04 |
| M2.516PTPP | M2.5-1.12X16 | 5,000 | 0.89 |
| M2.518PTPP | M2.5-1.12X18 | 5,000 | 1.06 |
| M2.520PTPP | M2.5-1.12X20 | 5,000 | 1.17 |

| Part # | Size | Ctn Qty | Wght Lbs/M |
|----------|------------|---------|------------|
| M48PTPP | M4-1.79X8 | 5,000 | 2.07 |
| M410PTPP | M4-1.79X10 | 5,000 | 2.33 |
| M412PTPP | M4-1.79X12 | 5,000 | 2.50 |
| M414PTPP | M4-1.79X14 | 5,000 | 2.70 |
| M416PTPP | M4-1.79X16 | 5,000 | 2.90 |
| M418PTPP | M4-1.79X18 | 5,000 | 3.17 |
| M420PTPP | M4-1.79X20 | 5,000 | 3.43 |
| M425PTPP | M4-1.79X25 | 5,000 | 3.90 |
| M430PTPP | M4-1.79X30 | 5,000 | 4.50 |
| M435PTPP | M4-1.79X35 | 5,000 | 5.00 |

| Part # | Size | Ctn Qty | Wght Lbs/M |
|----------|------------|---------|------------|
| M36PTPP | M3-1.34X6 | 5,000 | 0.84 |
| M38PTPP | M3-1.34X8 | 5,000 | 0.94 |
| M310PTPP | M3-1.34X10 | 5,000 | 1.09 |
| M312PTPP | M3-1.34X12 | 5,000 | 1.19 |
| M314PTPP | M3-1.34X14 | 5,000 | 1.32 |
| M316PTPP | M3-1.34X16 | 5,000 | 1.46 |
| M318PTPP | M3-1.34X18 | 5,000 | 1.61 |
| M320PTPP | M3-1.34X20 | 5,000 | 1.70 |
| M325PTPP | M3-1.34X25 | 5,000 | 2.06 |
| M330PTPP | M3-1.34X30 | 5,000 | 2.30 |



Steel Zinc Plated




FLAT SIX-LOBE EJOT® PT®-ALTERNATIVE THREAD FORMING SCREWS

Thread Forming Screw for Thermoplastics / 30° Thread Flank
Diams M3 & smaller: Case-hardened / Diams M3.5 & larger: Thru-hardened
Steel Zinc Plated / Baked after Plating

| Part # | Size | Ctn Qty | Wght Lbs/M | Part # | Size | Ctn Qty | Wght Lbs/M |
|------------|--------------|---------|------------|------------|--------------|---------|------------|
| M2.28PTTF | M2.2-.98X8 | 5,000 | 0.39 | M38PTTF | M3-1.34X8 | 5,000 | 0.73 |
| M2.210PTTF | M2.2-.98X10 | 5,000 | 0.46 | M310PTTF | M3-1.34X10 | 5,000 | 0.86 |
| | | | | M312PTTF | M3-1.34X12 | 5,000 | 1.00 |
| M2.56PTTF | M2.5-1.12X6 | 5,000 | 0.46 | M316PTTF | M3-1.34X16 | 5,000 | 1.20 |
| M2.57PTTF | M2.5-1.12X7 | 5,000 | 0.50 | | | | |
| M2.58PTTF | M2.5-1.12X8 | 5,000 | 0.53 | M3.510PTTF | M3.5-1.57X10 | 5,000 | 1.39 |
| M2.510PTTF | M2.5-1.12X10 | 5,000 | 0.62 | M3.512PTTF | M3.5-1.57X12 | 5,000 | 1.50 |
| M2.512PTTF | M2.5-1.12X12 | 5,000 | 0.72 | M3.516PTTF | M3.5-1.57X16 | 5,000 | 1.83 |

Steel Zinc Plated




PAN SIX-LOBE EJOT® PT®-ALTERNATIVE THREAD FORMING SCREWS

Thread Forming Screw for Thermoplastics / 30° Thread Flank
Diams M3 & smaller: Case-hardened / Diams M3.5 & larger: Thru-hardened
Steel Zinc Plated / Baked after Plating

| Part # | Size | Ctn Qty | Wght Lbs/M | Part # | Size | Ctn Qty | Wght Lbs/M |
|------------|-------------|---------|------------|------------|--------------|---------|------------|
| M2.218PTTP | M2.2-.98X18 | 5,000 | 0.89 | M3.58PTTP | M3.5-1.57X8 | 5,000 | 1.50 |
| M2.212PTTP | M2.2-.98X12 | 5,000 | 0.67 | M3.510PTTP | M3.5-1.57X10 | 5,000 | 1.69 |
| | | | | M3.512PTTP | M3.5-1.57X12 | 5,000 | 1.94 |
| M35PTTP | M3-1.34X5 | 5,000 | 0.89 | M3.514PTTP | M3.5-1.57X14 | 5,000 | 2.07 |
| M36PTTP | M3-1.34X6 | 5,000 | 1.00 | M3.516PTTP | M3.5-1.57X16 | 5,000 | 2.25 |
| M37PTTP | M3-1.34X7 | 5,000 | 1.06 | M3.518PTTP | M3.5-1.57X18 | 5,000 | 2.38 |
| M38PTTP | M3-1.34X8 | 5,000 | 1.06 | M3.520PTTP | M3.5-1.57X20 | 5,000 | 2.57 |
| M310PTTP | M3-1.34X10 | 5,000 | 1.17 | M3.525PTTP | M3.5-1.57X25 | 5,000 | 2.92 |
| M312PTTP | M3-1.34X12 | 5,000 | 1.33 | M3.530PTTP | M3.5-1.57X30 | 5,000 | 3.38 |
| M314PTTP | M3-1.34X14 | 5,000 | 1.40 | | | | |
| M316PTTP | M3-1.34X16 | 5,000 | 1.82 | M48PTTP | M4-1.79X8 | 5,000 | 2.18 |
| M320PTTP | M3-1.34X20 | 5,000 | 1.83 | M410PTTP | M4-1.79X10 | 5,000 | 2.43 |
| | | | | M412PTTP | M4-1.79X12 | 5,000 | 2.56 |
| | | | | M414PTTP | M4-1.79X14 | 5,000 | 2.93 |
| | | | | M416PTTP | M4-1.79X16 | 5,000 | 3.14 |
| | | | | M418PTTP | M4-1.79X18 | 5,000 | 3.42 |
| | | | | M420PTTP | M4-1.79X20 | 5,000 | 3.57 |
| | | | | M425PTTP | M4-1.79X25 | 5,000 | 4.13 |
| | | | | M430PTTP | M4-1.79X30 | 5,000 | 4.67 |
| | | | | M440PTTP | M4-1.79X40 | 5,000 | 5.70 |

A2 Stainless Steel




DIN 439 B HEX JAM NUTS

Property Class A2 50 Stainless Steel
Proof Load: 72,500 psi.

| Part # | Size | Ctn Qty | Wght Lbs/M | Part # | Size | Ctn Qty | Wght Lbs/M |
|-------------|-----------|---------|------------|------------|----------|---------|------------|
| M2D439BA2 | M2-0.4 | 10,000 | 0.17 | M8D439BA2 | M8-1.25 | 4,000 | 6.25 |
| M2.5D439BA2 | M2.5-0.45 | 10,000 | 0.39 | M10D439BA2 | M10-1.5 | 2,000 | 13.75 |
| M3D439BA2 | M3-0.5 | 10,000 | 0.50 | M12D439BA2 | M12-1.75 | 1,500 | 19.75 |
| M3.5D439BA2 | M3.5-0.6 | 10,000 | 0.60 | M16D439BA2 | M16-2.0 | 600 | 39.83 |
| M4D439BA2 | M4-0.7 | 10,000 | 1.00 | M18D439BA2 | M18-2.5 | 350 | 55.50 |
| M5D439BA2 | M5-0.8 | 10,000 | 1.50 | M20D439BA2 | M20-2.5 | 350 | 74.25 |
| M6D439BA2 | M6-1.0 | 9,000 | 2.95 | M24D439BA2 | M24-3.0 | 100 | 143.00 |

Steel Zinc Plated




DIN 439 B HEX JAM NUTS

Property Class 04 Steel
Proof Load: 380 N/mm²
Coarse and Fine Thread

| Part # | Size | Ctn Qty | Wght Lbs/M | Part # | Size | Ctn Qty | Wght Lbs/M |
|-----------|---------|---------|------------|-----------|----------|---------|------------|
| M3.5D439B | M3-5-6 | 10,000 | 0.83 | M10D439B | M10-1.5 | 1,000 | 5.20 |
| M3D439B | M3-5 | 10,000 | 0.50 | M10FD439B | M10-1.25 | 1,000 | 16.20 |
| M4D439B | M4-7 | 10,000 | 1.10 | M12D439B | M12-1.75 | 500 | 19.83 |
| M5D439B | M5-8 | 8,000 | 1.50 | M12FD439B | M12-1.5 | 500 | 26.00 |
| M6D439B | M6-1 | 5,000 | 3.00 | M14D439B | M14-2.00 | 300 | 30.90 |
| M8D439B | M8-1.25 | 2,500 | 6.10 | M16D439B | M16-2 | 250 | 39.00 |
| M8FD439B | M8-1 | 2,500 | 6.75 | | | | |

Steel Zinc Plated



Free Manufacturer's
Certifications Available
for Class 8 Nuts

DIN 934 HEX NUTS CLASS 6 AND 8, STYLE 1

Class 6 (M2 thru M3 diameter) - Class 8 (M4 thru M8 diameter)
Steel (Class 8 contains some Manganese and has a higher carbon content than Class 6 Nuts)

| Part # | Size | Ctn Qty | Wght Lbs/M | Part # | Size | Ctn Qty | Wght Lbs/M |
|------------|-----------|---------|------------|-----------|----------|---------|------------|
| M2D934-6 | M2-0.4 | 15,000 | 0.28 | M4D934-8 | M4-0.7 | 12,000 | 1.53 |
| M2.5D934-6 | M2.5-0.45 | 15,000 | 0.50 | M5D934-8 | M5-0.8 | 9,000 | 2.29 |
| M3D934-6 | M3-0.5 | 15,000 | 0.71 | M6D934-8 | M6-1.00 | 5,000 | 4.65 |
| M5D934-6 | M5-0.8 | 9,000 | 2.21 | M8D934-8 | M8-1.25 | 2,550 | 10.19 |
| M6D934-6 | M6-1.00 | 5,000 | 4.81 | M10D934-8 | M10-1.50 | 1,000 | 22.50 |
| | | | | M12D934-8 | M12-1.75 | 500 | 33.83 |
| | | | | M16D934-8 | M16-2.00 | 250 | 63.75 |
| | | | | M20D934-8 | M20-2.50 | 200 | 115.75 |

Now available in A2 Stainless—

DIN 439 B Hex Jam Nuts

