


Steel Zinc Yellow Plated
and Baked after Plating




JIS-B1188 PAN PHILLIPS EXTERNAL TOOTH SEMS

Pan Head Machine Screw w/Free-Spinning External Tooth Lockwasher
Manufactured to JIS-B1188 Specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
370714	M3-0.5X12	3,000	1.76				

Steel RoHS Zinc
Yellow Plated and
Baked after Plating




JIS-B1188 PAN PHILLIPS EXTERNAL TOOTH SEMS

Pan Head Machine Screw w/Free-Spinning External Tooth Lockwasher
Manufactured to JIS-B1188 Specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
370714R	M3-0.5X12	3,000	1.80				

Steel RoHS Zinc Yellow
Plated and Baked
after Plating




JIS-B1188 PAN PHILLIPS INTERNAL TOOTH SEMS

Small Pan Head Machine Screw w/Free-Spinning Internal Tooth Lockwasher
Manufactured to JIS-B1188 Specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
MJ36IPPY	M3-5X6	5,000	1.23				

Steel Zinc
Plated and Waxed




DIN 7500-M FLAT TYPE Z RECESS (1A) HIGH PERFORMANCE TRILOBULAR THREAD ROLLING SCREWS

Case Hardened 1022 Steel
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M2.56D7500M	M2.5-0.45X6	2,000	0.59	M510D7500M	M5-0.8X10	700	3.29
M2.58D7500M	M2.5-0.45X8	1,500	0.72	M520D7500M	M5-0.8X20	500	5.83
M2.510D7500M	M2.5-0.45X10	1,500	0.85	M610D7500M	M6-1.0X10	8,000	4.71
M36D7500M	M3-0.5X6	2,000	0.69	M612D7500M	M6-1.0X12	8,000	5.42
M38D7500M	M3-0.5X8	2,000	0.86	M616D7500M	M6-1.0X16	6,000	6.92
M310D7500M	M3-0.5X10	1,500	1.22	M624D7500M	M6-1.0X24	3,000	9.79
M312D7500M	M3-0.5X12	1,500	1.42				
M48D7500M	M4-0.7X8	1,000	2.01				
M410D7500M	M4-0.7X10	1,000	2.34				
M412D7500M	M4-0.7X12	1,000	2.69				
M420D7500M	M4-0.7X20	700	4.06				
M425D7500M	M4-0.7X25	700	4.89				

18-8 Stainless,
Passivated and Waxed




DIN 7500-M FLAT TYPE-Z RECESS HIGH PERFORMANCE TRILOBULAR THREAD ROLLING SCREWS

Heads are to DIN 7500M Specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M2.55RZF188	M2.5-0.45X5	5,000	0.40	M510RZF188	M5-0.8X10	2,000	3.18
M2.56RZF188	M2.5-0.45X6	5,000	0.47	M512RZF188	M5-0.8X12	2,000	3.63
M2.58RZF188	M2.5-0.45X8	5,000	0.60	M516RZF188	M5-0.8X16	1,750	4.67
M2.510RZF188	M2.5-0.45X10	4,000	0.72	M520RZF188	M5-0.8X20	1,000	5.66
M2.512RZF188	M2.5-0.45X12	4,000	0.83	M525RZF188	M5-0.8X25	1,000	6.85
				M530RZF188	M5-0.8X30	750	8.50
M36RZF188	M3-0.5X6	5,000	0.68	M612RZF188	M6-1.0X12	1,000	5.67
M38RZF188	M3-0.5X8	5,000	0.83	M616RZF188	M6-1.0X16	750	7.08
M310RZF188	M3-0.5X10	5,000	1.05	M620RZF188	M6-1.0X20	750	8.50
M312RZF188	M3-0.5X12	4,000	1.29	M625RZF188	M6-1.0X25	500	10.30
M316RZF188	M3-0.5X16	3,000	1.66	M630RZF188	M6-1.0X30	500	12.25
M48RZF188	M4-0.7X8	3,500	1.70				
M410RZF188	M4-0.7X10	3,000	2.00				
M412RZF188	M4-0.7X12	3,000	2.31				
M416RZF188	M4-0.7X16	2,000	2.94				
M420RZF188	M4-0.7X20	1,750	3.60				

18-8 Stainless,
Passivated and Waxed




DIN 7500-M FLAT SIX LOBE RECESS HIGH PERFORMANCE TRILOBULAR THREAD ROLLING SCREWS

Heads are to DIN 7500M Specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M2.55RTF188	M2.5-0.45X5	5,000	0.40	M510RTF188	M5-0.8X10	2,000	3.10
M2.56RTF188	M2.5-0.45X6	5,000	0.45	M512RTF188	M5-0.8X12	2,000	3.57
M2.58RTF188	M2.5-0.45X8	5,000	0.60	M516RTF188	M5-0.8X16	1,750	4.53
M2.510RTF188	M2.5-0.45X10	4,000	0.74	M520RTF188	M5-0.8X20	1,000	5.53
M2.512RTF188	M2.5-0.45X12	4,000	0.82	M525RTF188	M5-0.8X25	1,000	6.76
				M530RTF188	M5-0.8X30	750	8.50
M36RTF188	M3-0.5X6	5,000	0.83	M610RTF188	M6-1.0X10	1,000	5.19
M38RTF188	M3-0.5X8	5,000	1.00	M612RTF188	M6-1.0X12	1,000	5.80
M310RTF188	M3-0.5X10	5,000	1.20	M616RTF188	M6-1.0X16	750	7.25
M312RTF188	M3-0.5X12	4,000	1.38	M620RTF188	M6-1.0X20	750	8.67
M316RTF188	M3-0.5X16	3,000	1.72	M625RTF188	M6-1.0X25	500	10.75
M320RTF188	M3-0.5X20	2,500	2.13	M630RTF188	M6-1.0X30	500	12.60
M325RTF188	M3-0.5X25	2,500	2.55				
M48RTF188	M4-0.7X8	3,500	1.60				
M410RTF188	M4-0.7X10	3,000	2.11				
M412RTF188	M4-0.7X12	3,000	2.25				
M416RTF188	M4-0.7X16	2,000	2.80				
M420RTF188	M4-0.7X20	1,750	3.50				
M425RTF188	M4-0.7X25	1,500	4.25				
M430RTF188	M4-0.7X30	1,500	5.00				



18-8 Stainless Steel
Passivated and Waxed



DIN 7500~D UNSLOTTED HEX WASHER

HIGH PERFORMANCE TRILOBULAR THREAD ROLLING SCREWS


18-8 Stainless Steel / Passivated and Waxed
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M46RW188	M4-0.7X6	4,500	3.70	M610RW188	M6-1.0X10	1,500	11.00
M48RW188	M4-0.7X8	4,000	4.02	M612RW188	M6-1.0X12	1,500	11.70
M410RW188	M4-0.7X10	4,000	4.40	M616RW188	M6-1.0X16	1,250	13.13
M412RW188	M4-0.7X12	3,500	4.68	M620RW188	M6-1.0X20	1,000	14.83
M416RW188	M4-0.7X16	3,500	5.31	M625RW188	M6-1.0X25	1,000	16.63
M420RW188	M4-0.7X20	3,000	5.94	M630RW188	M6-1.0X30	750	18.57
M58RW188	M5-0.8X8	3,000	6.36				
M510RW188	M5-0.8X10	2,500	6.80				
M512RW188	M5-0.8X12	2,500	7.52				
M516RW188	M5-0.8X16	2,250	8.62				
M520RW188	M5-0.8X20	2,000	9.65				
M525RW188	M5-0.8X25	1,750	10.75				
M530RW188	M5-0.8X30	1,500	11.88				

NEW!

METRIC

18-8 Stainless,
Passivated and Waxed




DIN 7500-CE PAN SIX LOBE RECESS

HIGH PERFORMANCE TRILOBULAR THREAD ROLLING SCREWS

Heads are to DIN 7500CE Specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M2.54RTP188	M2.5-0.45X4	5,000	0.74	M46RTP188	M4-0.7X6	3,000	2.83
M2.55RTP188	M2.5-0.45X5	5,000	0.79	M48RTP188	M4-0.7X8	3,000	3.00
M2.56RTP188	M2.5-0.45X6	5,000	0.84	M410RTP188	M4-0.7X10	3,000	3.31
M2.58RTP188	M2.5-0.45X8	5,000	0.98	M412RTP188	M4-0.7X12	2,500	3.58
M2.510RTP188	M2.5-0.45X10	5,000	1.08	M416RTP188	M4-0.7X16	2,000	4.25
M2.512RTP188	M2.5-0.45X12	5,000	1.20	M420RTP188	M4-0.7X20	2,000	4.83
M35RTP188	M3-0.5X5	5,000	1.13	M425RTP188	M4-0.7X25	1,750	5.58
M36RTP188	M3-0.5X6	5,000	1.25	M430RTP188	M4-0.7X30	1,500	6.63
M38RTP188	M3-0.5X8	4,500	1.43	M58RTP188	M5-0.8X8	1,750	4.90
M310RTP188	M3-0.5X10	4,500	1.60	M510RTP188	M5-0.8X10	1,500	5.53
M312RTP188	M3-0.5X12	3,500	1.78	M512RTP188	M5-0.8X12	1,500	6.65
M316RTP188	M3-0.5X16	3,000	2.17	M516RTP188	M5-0.8X16	1,500	7.10
M320RTP188	M3-0.5X20	3,000	2.54	M520RTP188	M5-0.8X20	1,000	8.68
M358RTP188	M3.5-0.6X8	4,000	2.04	M525RTP188	M5-0.8X25	750	9.38
M3.510RTP188	M3.5-0.6X10	3,500	2.24	M530RTP188	M5-0.8X30	700	10.63
M3.512RTP188	M3.5-0.6X12	3,000	2.47	M610RTP188	M6-1.0X10	500	9.28
M3.516RTP188	M3.5-0.6X16	3,000	3.00	M612RTP188	M6-1.0X12	500	9.88
				M616RTP188	M6-1.0X16	500	11.38
				M620RTP188	M6-1.0X20	500	12.75
				M625RTP188	M6-1.0X25	400	14.63
				M630RTP188	M6-1.0X30	400	16.50

Steel Zinc
Plated and Waxed



DIN 7500~D UNSLOTTED HEX WASHER

HIGH PERFORMANCE TRILOBULAR THREAD ROLLING SCREWS

Case Hardened 1022 Steel / Zinc Plated and Waxed
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M2.54D7500D	M2.5-0.45X4	10,000	0.84	M58D7500D	M5-0.8X8	6,000	5.68
M2.55D7500D	M2.5-0.45X5	10,000	0.91	M510D7500D	M5-0.8X10	5,000	6.20
M2.56D7500D	M2.5-0.45X6	10,000	0.96	M512D7500D	M5-0.8X12	5,000	6.67
M2.58D7500D	M2.5-0.45X8	10,000	1.09	M516D7500D	M5-0.8X16	4,500	7.70
M35D7500D	M3-0.5X5	10,000	1.25	M520D7500D	M5-0.8X20	4,000	8.77
M36D7500D	M3-0.5X6	10,000	1.31	M525D7500D	M5-0.8X25	3,500	10.00
M38D7500D	M3-0.5X8	10,000	1.50	M610D7500D	M6-1.0X10	3,000	10.10
M310D7500D	M3-0.5X10	10,000	1.68	M612D7500D	M6-1.0X12	3,000	10.75
M312D7500D	M3-0.5X12	10,000	1.80	M616D7500D	M6-1.0X16	2,500	12.20
M316D7500D	M3-0.5X16	9,000	2.21	M620D7500D	M6-1.0X20	2,000	13.75
M320D7500D	M3-0.5X20	8,000	2.60	M625D7500D	M6-1.0X25	2,000	15.50
M46D7500D	M4-0.7X6	9,000	2.43	M630D7500D	M6-1.0X30	1,500	17.33
M48D7500D	M4-0.7X8	8,000	2.67	M640D7500D	M6-1.0X40	1,500	21.17
M410D7500D	M4-0.7X10	8,000	3.00				
M412D7500D	M4-0.7X12	7,000	3.35				
M416D7500D	M4-0.7X16	7,000	3.98				
M420D7500D	M4-0.7X20	6,000	4.63				
M425D7500D	M4-0.7X25	5,000	5.38				
M430D7500D	M4-0.7X30	5,000	6.14				

DIN 7500-CE PAN SIX LOBE RECESS


HIGH PERFORMANCE TRILOBULAR THREAD ROLLING SCREWS

Heads are to DIN 7500CE Specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M23D7500T	M2-0.4X3	4,000	0.36	M45D7500T	M4-0.7X5	1,500	2.57
M24D7500T	M2-0.4X4	4,000	0.39	M46D7500T	M4-0.7X6	1,000	2.75
M25D7500T	M2-0.4X5	4,000	0.41	M48D7500T	M4-0.7X8	1,000	3.09
M26D7500T	M2-0.4X6	4,000	0.46	M410D7500T	M4-0.7X10	1,000	3.42
M28D7500T	M2-0.4X8	4,000	0.57	M412D7500T	M4-0.7X12	1,000	3.75
M210D7500T	M2-0.4X10	4,000	0.60	M416D7500T	M4-0.7X16	700	4.40
M212D7500T	M2-0.4X12	4,000	0.67	M420D7500T	M4-0.7X20	700	5.10
M2.54D7500T	M2.5-0.45X4	1,500	0.72	M425D7500T	M4-0.7X25	500	5.62
M2.55D7500T	M2.5-0.45X5	1,500	0.77	M430D7500T	M4-0.7X30	500	6.38
M2.56D7500T	M2.5-0.45X6	1,500	0.84	M435D7500T	M4-0.7X35	500	7.20
M2.58D7500T	M2.5-0.45X8	1,500	0.95	M440D7500T	M4-0.7X40	500	8.00
M2.510D7500T	M2.5-0.45X10	1,500	1.10	M56D7500T	M5-0.8X6	500	6.00
M2.512D7500T	M2.5-0.45X12	1,500	1.20	M58D7500T	M5-0.8X8	500	5.08
M2.516D7500T	M2.5-0.45X16	1,500	1.43	M510D7500T	M5-0.8X10	500	6.30
M34D7500T	M3-0.5X4	2,000	1.17	M512D7500T	M5-0.8X12	500	6.80
M35D7500T	M3-0.5X5	1,500	1.25	M516D7500T	M5-0.8X16	500	7.90
M36D7500T	M3-0.5X6	1,500	1.39	M520D7500T	M5-0.8X20	500	8.95
M38D7500T	M3-0.5X8	1,500	1.54	M525D7500T	M5-0.8X25	500	10.25
M310D7500T	M3-0.5X10	1,000	1.76	M530D7500T	M5-0.8X30	300	10.57
M312D7500T	M3-0.5X12	1,000	1.94	M535D7500T	M5-0.8X35	500	11.83
M316D7500T	M3-0.5X16	1,000	2.29	M540D7500T	M5-0.8X40	500	13.07
M318D7500T	M3-0.5X18	1,000	2.25	M68D7500T	M6-1.0X8	500	8.78
M320D7500T	M3-0.5X20	1,000	2.65	M610D7500T	M6-1.0X10	500	9.60
M325D7500T	M3-0.5X25	1,000	3.00	M612D7500T	M6-1.0X12	500	10.33
M330D7500T	M3-0.5X30	1,000	3.50	M616D7500T	M6-1.0X16	500	11.83
M340D7500T	M3-0.5X40	1,000	4.33	M620D7500T	M6-1.0X20	400	13.25
				M625D7500T	M6-1.0X25	300	15.00
				M630D7500T	M6-1.0X30	300	16.93
				M635D7500T	M6-1.0X35	300	18.80
				M640D7500T	M6-1.0X40	300	20.65



Steel Zinc Plated,
Baked and Waxed




METRIC

DIN 7500-C PAN TYPE Z RECESS (1A)
HIGH PERFORMANCE TRILOBULAR THREAD ROLLING SCREWS

Case Hardened 1022 Steel
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M25D7500C	M2-0.4X5	4,000	0.33	M46D7500C	M4-0.7X6	1,000	2.80
M26D7500C	M2-0.4X6	4,000	0.44	M48D7500C	M4-0.7X8	700	3.17
M28D7500C	M2-0.4X8	4,000	0.51	M410D7500C	M4-0.7X10	700	3.57
				M412D7500C	M4-0.7X12	700	3.83
M2.54D7500C	M2.5-0.45X4	1,500	0.82	M416D7500C	M4-0.7X16	700	4.44
M2.55D7500C	M2.5-0.45X5	1,500	0.88	M420D7500C	M4-0.7X20	500	5.09
M2.56D7500C	M2.5-0.45X6	1,500	0.95	M425D7500C	M4-0.7X25	500	5.88
M2.58D7500C	M2.5-0.45X8	1,500	1.08	M430D7500C	M4-0.7X30	500	6.59
M2.510D7500C	M2.5-0.45X10	1,500	1.21	M440D7500C	M4-0.7X40	500	8.03
M2.512D7500C	M2.5-0.45X12	1,500	1.35				
M2.514D7500C	M2.5-0.45X14	1,500	1.33	M56D7500C	M5-0.8X6	1,000	5.00
M2.516D7500C	M2.5-0.45X16	1,000	1.60	M58D7500C	M5-0.8X8	500	5.55
M2.520D7500C	M2.5-0.45X20	1,000	1.75	M510D7500C	M5-0.8X10	500	6.28
				M512D7500C	M5-0.8X12	500	6.75
M35D7500C	M3-0.5X5	1,500	1.22	M516D7500C	M5-0.8X16	500	7.75
M36D7500C	M3-0.5X6	1,500	1.31	M520D7500C	M5-0.8X20	400	8.75
M38D7500C	M3-0.5X8	1,500	1.53	M525D7500C	M5-0.8X25	300	9.88
M310D7500C	M3-0.5X10	1,000	1.60	M530D7500C	M5-0.8X30	300	11.21
M312D7500C	M3-0.5X12	1,000	1.79				
M316D7500C	M3-0.5X16	1,000	2.45	M610D7500C	M6-1.0X10	500	9.65
M320D7500C	M3-0.5X20	1,000	2.80	M612D7500C	M6-1.0X12	500	1.00
M325D7500C	M3-0.5X25	1,000	3.10	M616D7500C	M6-1.0X16	500	11.95
				M620D7500C	M6-1.0X20	400	13.17
				M625D7500C	M6-1.0X25	300	15.23
				M630D7500C	M6-1.0X30	300	17.03
				M640D7500C	M6-1.0X40	300	21.05

Steel Zinc Black,
Baked and Waxed



METRIC

DIN 7500-C PAN TYPE Z RECESS (1A)
HIGH PERFORMANCE TRILOBULAR THREAD ROLLING SCREWS

Case Hardened 1022 Steel
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M48D7500CBZ	M4-0.7X8	700	3.13				

NEW!

**Metric Thread Rolling Screws for
Thermoplastic Applications**

NEW!
18-8 Stainless,
Passivated and Waxed




METRIC

DIN 7500-C PAN TYPE-Z RECESS
HIGH PERFORMANCE TRILOBULAR THREAD ROLLING SCREWS

Heads are to DIN 7500C Specifications
Fully Threaded

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M2.55RZP188	M2.5-0.45X5	4,000	0.74	M58RZP188	M5-0.8X8	1,500	6.00
M2.56RZP188	M2.5-0.45X6	4,000	0.85	M510RZP188	M5-0.8X10	1,500	6.38
M2.58RZP188	M2.5-0.45X8	4,000	0.95	M512RZP188	M5-0.8X12	1,250	6.70
M2.510RZP188	M2.5-0.45X10	4,000	1.04	M516RZP188	M5-0.8X16	1,250	7.70
				M520RZP188	M5-0.8X20	1,000	8.90
M36RZP188	M3-0.5X6	4,000	1.38	M525RZP188	M5-0.8X25	750	10.00
M38RZP188	M3-0.5X8	4,000	1.55	M530RZP188	M5-0.8X30	750	11.33
M310RZP188	M3-0.5X10	4,000	1.75				
M312RZP188	M3-0.5X12	3,500	1.94	M610RZP188	M6-1.0X10	750	10.00
M316RZP188	M3-0.5X16	3,000	2.30	M612RZP188	M6-1.0X12	750	10.63
M320RZP188	M3-0.5X20	2,500	2.60	M616RZP188	M6-1.0X16	750	12.50
				M620RZP188	M6-1.0X20	500	13.63
M46RZP188	M4-0.7X6	2,500	2.83	M625RZP188	M6-1.0X25	500	15.20
M48RZP188	M4-0.7X8	2,500	3.06	M630RZP188	M6-1.0X30	350	17.10
M410RZP188	M4-0.7X10	2,500	3.36				
M412RZP188	M4-0.7X12	2,000	3.64				
M416RZP188	M4-0.7X16	1,500	4.43				
M420RZP188	M4-0.7X20	1,500	4.80				
M425RZP188	M4-0.7X25	1,250	5.67				
M430RZP188	M4-0.7X30	1,000	6.40				

Steel RoHS Zinc Plated
and Baked



NEW!

METRIC

FLAT SIX-LOBE
THREAD ROLLING SCREWS

Generic Alternatives to Plastite® 45° & Plas-Fix® 45° Thread Rolling Screws*
Case Hardened to Rockwell C45 (Core Hardness: Rockwell C28-38)
Fully Threaded / Trilobular Design

Part #	Size	Ctn Qty	Wght Lbs/M	Part #	Size	Ctn Qty	Wght Lbs/M
M2.56LTF4	M2.5-1.4X6	10,000	0.32	M48LTF4	M4-1.75X8	9,000	2.20
M2.58LTF4	M2.5-1.4X8	10,000	0.52	M410LTF4	M4-1.75X10	9,000	2.40
M2.510LTF4	M2.5-1.4X10	10,000	0.87	M412LTF4	M4-1.75X12	8,000	2.60
				M416LTF4	M4-1.75X16	7,000	2.90
M36LTF4	M3-1.5X6	10,000	0.70	M420LTF4	M4-1.75X20	6,000	3.50
M38LTF4	M3-1.5X8	10,000	0.90	M425LTF4	M4-1.75X25	5,000	4.00
M310LTF4	M3-1.5X10	10,000	1.00				
M312LTF4	M3-1.5X12	10,000	1.10	M510LTF4	M5-2.3X10	6,000	4.20
M316LTF4	M3-1.5X16	10,000	1.40	M512LTF4	M5-2.3X12	6,000	4.50
M320LTF4	M3-1.5X20	9,000	1.60	M516LTF4	M5-2.3X16	5,000	5.10
				M520LTF4	M5-2.3X20	4,000	5.80
M3.56LTF4	M3.5-1.65X6	10,000	1.10	M525LTF4	M5-2.3X25	3,500	6.70
M3.58LTF4	M3.5-1.65X8	10,000	1.20	M530LTF4	M5-2.3X30	3,000	7.50
M3.510LTF4	M3.5-1.65X10	10,000	1.42				
M3.512LTF4	M3.5-1.65X12	10,000	1.60				
M3.516LTF4	M3.5-1.65X16	8,000	2.00				
M3.520LTF4	M3.5-1.65X20	6,000	2.20				
M3.525LTF4	M3.5-1.65X25	6,000	2.70				



Request Info



1-800-453-1692

www.aboveboardelectronics.com

NEW!

METRIC

Steel RoHS Zinc Plated



PAN SIX-LOBE
THREAD ROLLING SCREWS

Generic Alternatives to Plastite® / Plas-Fix® 45 Thread Rolling Screws*
Case Hardened to Vickers HV 450 minimum
Fully Threaded

Table with 4 columns: Part #, Size, Ctn Qty, Wght Lbs/M. Lists various screw sizes and quantities.

NEW!

METRIC

Steel RoHS Zinc Plated



PAN POZI
THREAD ROLLING SCREWS

Generic Alternatives to Plastite® / Plas-Fix® 45 Thread Rolling Screws*
Case Hardened to Vickers HV 450 minimum
Fully Threaded

Table with 4 columns: Part #, Size, Ctn Qty, Wght Lbs/M. Lists various screw sizes and quantities.

NEW!

METRIC

A2 Stainless Steel



FLAT PHILLIPS EJOT® PT®-ALTERNATIVE
THREAD FORMING SCREWS

Thread Forming Screw for Thermoplastics / 30° Thread Flank
A2 Stainless Steel

Table with 4 columns: Part #, Size, Ctn Qty, Wght Lbs/M. Lists various screw sizes and quantities.

NEW!

METRIC

A2 Stainless Steel



PAN PHILLIPS EJOT® PT®-ALTERNATIVE
THREAD FORMING SCREWS

Thread Forming Screw for Thermoplastics / 30° Thread Flank
A2 Stainless Steel

Table with 4 columns: Part #, Size, Ctn Qty, Wght Lbs/M. Lists various screw sizes and quantities.

